

# Catalogue of the Birds in the British Museum

Index

1899

*W. 345.*

BULLETIN

OF THE

BRITISH ORNITHOLOGISTS' CLUB.

EDITED BY

R. BOWDLER SHARPE, LL.D.

---

VOLUME IX.


---

LONDON:

R. H. PORTER, 7 PRINCES STREET, CAVENDISH SQUARE.

---

APRIL 1899.



PRINTED BY TAYLOR AND FRANCIS,  
RED LION COURT, FLEET STREET.

## PREFACE.

---

THIS Index was originally prepared, under Mr. Scclater's directions, at the Office of the Zoological Society of London in Hanover Square, by Mr. F. H. Waterhouse, the Librarian of the Society, and his assistants. A MS. copy of it was subsequently presented by Mr. Scclater to the Library of the Bird-room in the British Museum. This Index having been found to be of great assistance in both the above-mentioned Libraries to those who require to make frequent references to the 'Catalogue of Birds,' it was resolved by the Committee of the British Ornithologists' Club to print it as an extra volume of the 'Bulletin,' of which it will accordingly form Volume IX.

Our best thanks are due to Mr. Waterhouse and his assistants for the care they have taken in the compilation and correction of this Index, which we trust may prove useful to all working ornithologists.

The following Latin lines were composed by a Member of the B.O.C. to commemorate the names of the eleven Authors of the 'Catalogue of Birds':—

### DE CATALOGI AVIUM MAGNI SCRIPTORIBUS UNDECIM.

*Sharpius* incepit, scripsitque volumina multa ;  
*Seebohmus* sequitur, promptus ad auxilium.  
Teutonicus, zelo plenus, venit inde *Gadovus*,  
*Salvinus*que bonam præbet amicus opem.  
Jam *Scclaterus* adest, tria longa volumina complens,  
Americandarum notus amans avium.  
Expers *Hargittus* nunc Picos ordinat omnes,  
*Hartertus*que sagax Cypselidas numerat.  
Multum etiam pensæ *Shelleyi* profuit ardor,  
Multum *Saundersi* mens operosa dedit.  
Clarus ab Italiâ jam *Salvadorius* adstat,  
Et tandem *Grantus* sine coronat opus.

R. B. S.

March 15th, 1899.



# AVIUM GENERUM INDEX ALPHABETICUS:

AN

## ALPHABETICAL INDEX TO THE GENERA

ADOPTED IN THE TWENTY-SEVEN VOLUMES OF THE  
CATALOGUE OF THE BIRDS IN THE BRITISH MUSEUM.

---

- Abdimia, xxvi. 292.  
Abeillia, xvi. 358.  
Aburria, xxii. 520.  
Acanthidops, xii. 234.  
Acanthidositta, xiv. 451.  
Acanthis, xii. 235.  
Acanthiza, vii. 291.  
Acanthochæra, ix. 262.  
Acanthoptila, vii. 380.  
Acanthorhynchus, ix. 144.  
Accentor, vii. 618.  
Accipiter, i. 130.  
Accros, xvii. 380.  
Accestrura, xvi. 406.  
Acomus, xxii. 283.  
Acredula, viii. 54.  
Acridotheres, xiii. 79, 666.  
Acrocephalus, v. 87.  
Acropternis, xv. 350.  
Aeryllium, xxii. 385.  
Actinodura, vii. 463.  
Adelomyia, xvi. 169.  
Æchimorhynchus, xxiv. 524.  
Æchmophorus, xxvi. 549.  
Ædonopsis, vii. 68.  
Ægialeus, xxiv. 250.  
Ægialitis, xxiv. 254.  
Ægintha, xiii. 372.  
Ægithalus, viii. 66.  
Ægithina, vi. 4.  
Ægothelus, xvi. 646.  
Æluæcedus, vi. 382.  
Æpypodius, xxii. 469.  
Aëronautes, xvi. 459.  
Aëthocichla, vii. 484.  
Aëthomyias, iv. 271.  
Æthopyga, ix. 13.  
Aëthorhynchus, vi. 13.  
Æx, xxvii. 72.  
Agamia, xxvi. 135.  
Agapornis, xx. 506.  
Agclæus, xi. 339.  
Agelastes, xxii. 374.  
Aglæactis, xvi. 349.  
Agriornis, xiv. 4.  
Agyrtria, xvi. 178.  
Aidemosyne, xiii. 368.  
Aithurus, xvi. 64.  
Ajaja, xxvi. 52.  
Alæmon, xiii. 517.

Alario, xii. 316.  
 Alauda, xiii. 566.  
 Alaudula, xiii. 586.  
 Alca, xxvi. 564.  
 Alcedo, xvii. 110.  
 Alcippe, vii. 618.  
 Alcurus, vi. 91.  
 Aleyone, xvii. 167.  
 Allectœnas, xxi. 160.  
 Alctrurus, xiv. 38.  
 Althe, vii. 57.  
 Aletornis, xxiii. 277.  
 Alle, xxvi. 569.  
 Alseonax, iv. 126.  
 Amadina, xiii. 288.  
 Amauresthes, xiii. 267.  
 Amaurolimnas, xxiii. 87.  
 Amauornis, xxiii. 152.  
 Amaurospiza, xii. 156.  
 Amazilia, xvi. 203.  
 Amblycercus, xi. 326.  
 Amblyornis, vi. 394.  
 Amblyospiza, xiii. 501.  
 Amblyrhamphus, xi. 350.  
 Ammodromus, xii. 683.  
 Ammomanes, xiii. 641.  
 Ammoperdix, xxii. 123.  
 Ampeliceps, xiii. 115.  
 Ampelion, xiv. 373.  
 Ampelis, x. 212.  
 Amphispiza, xii. 627.  
 Amydrus, xiii. 161.  
 Amytis, vii. 106.  
 Anabatoides, xv. 112.  
 Anabazenops, xv. 105.  
 Anæretes, xiv. 106.  
 Anaplectes, xiii. 411.  
 Anarhynchus, xxiv. 306.

Anas, xxvii. 187.  
 Anastomus, xxvi. 306.  
 Ancistrops, xv. 103.  
 Ancylochilus, xxiv. 585.  
 Andigena, xix. 133.  
 Androdon, xvi. 37.  
 Andropadus, vi. 106.  
 Anodorhynchus, xx. 147.  
 Anomalophrys, xxiv. 156.  
 Anorrhinus, xvii. 390.  
 Anorthura, vi. 268.  
 Anous, xxv. 136.  
 Anser, xxvii. 88.  
 Anseranas, xxvii. 44.  
 Anthobaphes, ix. 10.  
 Anthocephala, xvi. 172.  
 Anthocinclæ, xiv. 412.  
 Anthornis, ix. 255.  
 Anthothreptes, ix. 112.  
 Anthracoceros, xvii. 361.  
 Anthropoides, xxiii. 269.  
 Anthus, x. 534.  
 Antigone, xxiii. 262.  
 Anumbius, xv. 75.  
 Anurolimnas, xxiii. 88.  
 Anuroopsis, vii. 588.  
 Apalis, vii. 137.  
 Aphanapteryx, xxiii. 68.  
 Aphanolimnas, xxiii. 115.  
 Aphantochroa, xvi. 297.  
 Aphelocoma, iii. 112.  
 Aphobus, xi. 404.  
 Aphriza, xxiv. 208.  
 Aplonis, xiii. 125.  
 Aprosmictus, xx. 485.  
 Aptenodytes, xxvi. 626.  
 Apteryx, xxvii. 603.  
 Aptornis, xxiii. 207.

- Aquila, i. 232.  
 Ara, xx. 150.  
 Arachnothera, ix. 100.  
 Aramides, xxiii. 53.  
 Aramidopsis, xxiii. 331.  
 Aramus, xxiii. 237.  
 Arboricola, xxii. 205.  
 Archibuteo, i. 195.  
 Arctonetta, xxvii. 422.  
 Ardea, xxvi. 66.  
 Ardeirallus, xxvi. 244.  
 Ardeola, xxvi. 201.  
 Ardetta, xxvi. 220.  
 Arenaria, xxiv. 91.  
 Argusianus, xxii. 362.  
 Argya, vii. 388.  
 Arinia, xvi. 193.  
 Arquatella, xxiv. 578.  
 Arremon, xi. 272.  
 Arses, iv. 408.  
 Artamia, viii. 106.  
 Artamides, iv. 8.  
 Artamus, xiii. 2.  
 Artomyias, iv. 144.  
 Arundinicola, xiv. 37.  
 Asarcia, xxiv. 86.  
 Asarcornis, xxvii. 59.  
 Asio, ii. 225.  
 Aspatha, xvii. 331.  
 Astrapia, iii. 165.  
 Astur, i. 92.  
 Asturina, i. 202.  
 Asturinula, i. 275.  
 Asyndesmus, xviii. 137.  
 Atelornis, xvii. 7.  
 Atlapetes, xii. 738.  
 Atrichia, xiii. 659.  
 Attagis, xxiv. 714.  
 Atthis, xvi. 411.  
 Atticora, x. 182.  
 Attila, xiv. 358.  
 Angastes, xvi. 35.  
 Aulacorhamphus, xix. 153.  
 Aulia, xiv. 354.  
 Automolus, xv. 87.  
 Avocettula, xvi. 101.  
 Babax, vii. 352.  
 Balæniceps, xxvi. 287.  
 Balearica, xxiii. 272.  
 Bambusicola, xxii. 257.  
 Barbatula, xix. 38.  
 Barnardius, xx. 558.  
 Bartramia, xxiv. 509.  
 Baryphthengus, xvii. 330.  
 Basileornis, xiii. 95.  
 Basileuterus, x. 376.  
 Basilinna, xvi. 252.  
 Batara, xv. 179.  
 Bathilda, xiii. 374.  
 Batis, iv. 133.  
 Batrachostomus, xvi. 636.  
 Baza, i. 351.  
 Bebrornis, vii. 102.  
 Bellona, xvi. 352.  
 Belonopterus, xxiv. 163.  
 Berenicornis, xvii. 423.  
 Berlepschia, xv. 79.  
 Bernieria, vii. 529.  
 Bhringa, iii. 257.  
 Bias, iv. 142.  
 Biatas, xv. 214.  
 Biziura, xxvii. 452.  
 Blacicus, xiv. 241.  
 Bolbopsittacus, xx. 503.  
 Bolborhynchus, xx. 233.

- Bonasa, xxii. 85.  
 Bostrychia, xxvi. 18.  
 Botaurus, xxvi. 253.  
 Bourcieria, xvi. 128.  
 Brachygalba, xix. 171.  
 Brachypteracias, xvii. 4.  
 Brachypternus, xviii. 403.  
 Brachypteryx, vii. 25.  
 Brachyrhamphus, xxvi. 590.  
 Bradyornis, iii. 308.  
 Bradypterus, vii. 112.  
 Branta, xxvii. 111.  
 Brotogeris, xx. 253.  
 Buarremon, xi. 254.  
 Bubo, ii. 12.  
 Bubuleus, xxvi. 213.  
 Bucco, xix. 179.  
 Buceros, xvii. 352.  
 Buchanga, iii. 244.  
 Bucorax, xvii. 349.  
 Bugeranus, xxiii. 267.  
 Bulweria, xxv. 420.  
 Buphaga, xiii. 195.  
 Burhinus, xxiv. 18.  
 Burnesia, vii. 203.  
 Busarellus, i. 210.  
 Butastur, i. 291.  
 Buteo, i. 164.  
 Buteogallus, i. 212.  
 Buteola, i. 201.  
 Buthraupis, xi. 147.  
 Butorides, xxvi. 172.  
 Butreron, xxi. 32.  
 Bycanistes, xvii. 416.  
 Cabalus, xxiii. 46.  
 Cacatua, xx. 115.  
 Caccabis, xxii. 110.  
 Cacomantis, xix. 265.  
 Cactornis, ii. 18.  
 Caenotriceus, xiv. 86.  
 Caica, xx. 358.  
 Cairina, xxvii. 51.  
 Calamanthus, vii. 501.  
 Calanocichla, vii. 131.  
 Calamonastes, vii. 133.  
 Calamospiza, xii. 593.  
 Calandrella, xiii. 579.  
 Calcarius, xii. 579.  
 Calendula, xiii. 639.  
 Calicalicus, viii. 119.  
 Calidris, xxiv. 526.  
 Callacanthis, xii. 232.  
 Callene, vii. 14.  
 Calliechthrus, xix. 225.  
 Callipepla, xxii. 394.  
 Callipharus, xvi. 67.  
 Calliphlox, xvi. 386.  
 Calliptilus, xx. 41.  
 Calliste, xi. 95.  
 Callocephalon, xx. 113.  
 Calochætes, xi. 179.  
 Calocitta, iii. 88.  
 Calcnas, xxi. 614.  
 Calopelia, xxi. 522.  
 Caloperdix, xxii. 222.  
 Calopezus, xxvii. 566.  
 Calopsittacus, xx. 135.  
 Calorhamphus, xix. 49.  
 Calornis, xiii. 137.  
 Calothorax, xvi. 390.  
 Calypte, xvi. 403.  
 Calyptomena, xiv. 455.  
 Calyptophilus, xi. 235.  
 Calyptorhynchus, xx. 106.  
 Calyptura, xiv. 394.

- Camarhynchus, xii. 14.  
 Camaroptera, vii. 166.  
 Campoehæra, iv. 21.  
 Campophaga, iv. 59.  
 Campophilus, xviii. 460.  
 Campothera, xviii. 90.  
 Camptolæmus, xxvii. 416.  
 Campylopterus, xvi. 288.  
 Campylorhynchus, vi. 184.  
 Canachites, xxii. 68.  
 Canceroma, xxvi. 163.  
 Canirallus, xxiii. 72.  
 Capito, xix. 107.  
 Caprimulgus, xvi. 521.  
 Capsiempis, xiv. 120.  
 Carcineutes, xvii. 198.  
 Cardellina, x. 408.  
 Cardinalis, xii. 160.  
 Carduelis, xii. 185.  
 Cariama, i. 42.  
 Carine, ii. 132.  
 Carphibis, xxvi. 11.  
 Carpococcyx, xix. 414.  
 Carpodacus, xii. 387.  
 Carpodectes, xiv. 389.  
 Carpophaga, xxi. 181.  
 Casarca, xxvii. 177.  
 Casiornis, xiv. 365.  
 Cassiculus, xi. 328.  
 Cassicus, xi. 320.  
 Cassidix, xi. 329.  
 Cassinia, iv. 466.  
 Castanolimnas, xxiii. 80.  
 Casuarius, xxvii. 590.  
 Catamblyrynchus, xii. 142.  
 Catarrhactes, xxvi. 635.  
 Catharistes, i. 23.  
 Catharma, xvi. 410.  
 Cathartes, i. 22.  
 Catharus, v. 283.  
 Catherpes, vi. 280.  
 Catheturus, xxii. 467.  
 Catreus, xxii. 316.  
 Celeus, xviii. 420.  
 Centrites, xiv. 60.  
 Centrocerus, xxii. 80.  
 Centropus, xix. 331.  
 Ccophlœus, xviii. 506.  
 Cephalolepis, xvi. 356.  
 Cephalopterus, xiv. 398.  
 Ceratogymna, xvii. 388.  
 Ceratopipra, xiv. 288.  
 Ceratotriccus, xiv. 85.  
 Cerchneipicus, xviii. 436.  
 Cerchneis, i. 423.  
 Cercibis, xxvi. 28.  
 Cercococcyx, xix. 265.  
 Cercomacra, xv. 263.  
 Cercotrichas, vii. 83.  
 Cercopsis, xxvii. 79.  
 Cerorhyncha, xxvi. 609.  
 Certhia, viii. 323.  
 Certhidea, xi. 27.  
 Certhilauda, xiii. 514.  
 Certhiola, xi. 36.  
 Certhiparus, viii. 75.  
 Ceryle, xvii. 107.  
 Cettia, v. 133.  
 Ceuthmochares, xix. 401.  
 Ceycopsis, xvii. 190.  
 Ceyx, xvii. 173.  
 Chætocercus, xvi. 414.  
 Chætops, vii. 347.  
 Chætorhynchus, iii. 242.  
 Chætornis, vii. 130.  
 Chætura, xvi. 470.

- Chaetusia, xxiv. 174.  
 Chalcocoeyx, xix. 288.  
 Chalcopeia, xxi. 506.  
 Chalcophaps, xxi. 510.  
 Chalcopsar, xiii. 158.  
 Chalcopsittacus, xx. 12.  
 Chalcostetha, ix. 12.  
 Chalcurus, xxii. 361.  
 Chamæa, vii. 311.  
 Chamæospiza, xii. 730.  
 Chamæopelia, xxi. 472.  
 Chamæpetes, xxii. 521.  
 Chamæza, xv. 306.  
 Chaptia, iii. 243.  
 Charadrius, xxiv. 191.  
 Charitornis, xiii. 153.  
 Charmosyna, xx. 81.  
 Charmosynopsis, xx. 79.  
 Chasiempis, iv. 81.  
 Chasmorhynchus, xiv. 403.  
 Chaulclasmus, xxvii. 221.  
 Chauna, xxvii. 4.  
 Chaunoproctus, xii. 31.  
 Chelidon, x. 86.  
 Chelidoptera, xix. 207.  
 Chelidorhynchus, iv. 279.  
 Chen, xxvii. 82.  
 Chenalopex, xxvii. 166.  
 Chenonetta, xxvii. 140.  
 Chenopsis, xxvii. 41.  
 Chenorhamphus, iv. 284.  
 Chera, xiii. 213.  
 Cheramœca, x. 171.  
 Chersophilus, xiii. 525.  
 Chibia, iii. 234.  
 Chimarrhornis, vii. 47.  
 Chionarchus, xxiv. 711.  
 Chionis, xxiv. 710.  
 Chirocylla, xiv. 349.  
 Chiromachæris, xiv. 312.  
 Chiroxiphia, xiv. 307.  
 Chlamydodera, vi. 388.  
 Chlcuasicus, vii. 494.  
 Chloëphaga, xxvii. 128.  
 Chloris, xii. 21, 817.  
 Chlorochrysa, xi. 89.  
 Chlorocichla, vi. 112.  
 Chloronerpes, xviii. 69.  
 Chloropcta, iv. 272.  
 Chlorophanes, xi. 29.  
 Chlorophonia, xi. 53.  
 Chloropipo, xiv. 286.  
 Chloropsis, vi. 15.  
 Chlorospingus, xi. 237.  
 Chlorostilbon, xvi. 44.  
 Chlorothraupis, xi. 194.  
 Chlorura, xiii. 388.  
 Cholornis, vii. 498.  
 Chondestes, xii. 590.  
 Chordeiles, xvi. 609.  
 Chotorhea, xix. 55.  
 Chrysocoeyx, xix. 280.  
 Chrysocolaptes, xviii. 442.  
 Chrysœnas, xxi. 155.  
 Chrysolampis, xvi. 113.  
 Chrysolophus, xxii. 339.  
 Chrysomitris, xii. 192.  
 Chrysophlegma, xviii. 119.  
 Chrysoptilus, xviii. 109.  
 Chrysotis, xx. 268.  
 Chrysuronia, xvi. 248.  
 Chthonicola, vii. 290.  
 Cichladusa, vii. 69.  
 Cichlherminia, vi. 326.  
 Cichlopsis, vi. 377.  
 Cicinnurus, iii. 171.

- Ciconia, xxvi. 298.  
 Cinclocerthia, vi. 323.  
 Cinclodes, xv. 21.  
 Cinclorhamphus, vii. 498.  
 Cinclosoma, vii. 331.  
 Cinclus, vi. 306.  
 Cinnamopterus, xiii. 166.  
 Cinnamopteryx, xiii. 471.  
 Cinnicerthia, vi. 182.  
 Cinnyris, ix. 31.  
 Circaetus, i. 280.  
 Circus, i. 50.  
 Cirrhopipra, xiv. 289.  
 Cissa, iii. 84.  
 Cissopis, xi. 299.  
 Cisticola, vii. 235.  
 Cistothorus, vi. 240.  
 Cittocinclu, vii. 84.  
 Cittura, xvii. 291.  
 Cladorhynchus, xxiv. 324.  
 Clangula, xxvii. 376.  
 Claudia, xvi. 469.  
 Clibanornis, xv. 27.  
 Climacteris, viii. 333.  
 Clypeicterus, xi. 310.  
 Clytoceyx, xvii. 203.  
 Clytoctantes, xv. 219.  
 Clytolæma, xvi. 311.  
 Clytomyias, iv. 285.  
 Cnemiornis, xxvii. 81.  
 Cnipodectes, xiv. 197.  
 Cnipolegus, xiv. 42.  
 Coccopygia, xiii. 305, 668.  
 Coccothraustes, xii. 36.  
 Coccozilius, xiii. 185.  
 Coccystes, xix. 211.  
 Cocyzus, xix. 302.  
 Cochoa, iv. 2.  
 Cœligena, xvi. 304.  
 Cœreba, xi. 31.  
 Colaptes, xviii. 10.  
 Colius, xvii. 338.  
 Collocalia, xvi. 496.  
 Collyriocinclu, iii. 289.  
 Colæus, iii. 25.  
 Colopterus, xiv. 90.  
 Columba, xxi. 241.  
 Columbula, xxi. 470.  
 Colymbus, xxvi. 486.  
 Comatibis, xxvi. 16.  
 Compsocoma, xi. 150.  
 Compsotis, xxiii. 293.  
 Conirostrum, xi. 13.  
 Conopias, xiv. 173.  
 Conopophaga, xv. 330.  
 Conostoma, vii. 485.  
 Conothraupis, xi. 280.  
 Contopus, xiv. 234.  
 Conuropsis, xx. 203.  
 Conurus, xx. 170.  
 Copsyclus, vii. 60.  
 Copurus, xiv. 50.  
 Coracias, xvii. 9.  
 Coracopitta, xiv. 449.  
 Coracopsis, xx. 380.  
 Corcorax, iii. 149.  
 Corethrura, xxiii. 115.  
 Coriphilus, xx. 46.  
 Corone, iii. 30.  
 Corvinella, viii. 231.  
 Corvultur, iii. 24.  
 Corvus, iii. 13.  
 Corydon, xiv. 466.  
 Coryphistera, xv. 75.  
 Coryphœnas, xxi. 368.  
 Coryphospingus, xii. 802.

- Coryhospiza*, xii. 765.  
*Corythæola*, xix. 419.  
*Corythocichla*, vii. 592.  
*Corythopsis*, xv. 335.  
*Corythornis*, xvii. 162.  
*Coscoroba*, xxvii. 12.  
*Cosmetornis*, xvi. 595.  
*Cosmonetta*, xxvii. 391.  
*Cosmopsarus*, xiii. 159.  
*Cossypha*, vii. 34.  
*Cotile*, x. 95.  
*Cotinga*, xiv. 382.  
*Coturnix*, xxii. 229.  
*Coua*, xix. 405.  
*Cracticus*, viii. 93.  
*Cranorrhinus*, xvii. 377.  
*Crateropus*, vii. 469.  
*Crateroscelis*, vii. 590.  
*Crax*, xxii. 474.  
*Creadion*, iii. 144.  
*Creciscus*, xxiii. 134, 337.  
*Crecopsis*, xxiii. 81.  
*Creurgops*, xi. 215.  
*Crex*, xxiii. 82.  
*Criniger*, vi. 70.  
*Crocomorphus*, xviii. 439.  
*Crocopus*, xxi. 26.  
*Crossleyia*, vii. 523.  
*Crossoptilon*, xxii. 293.  
*Crotophaga*, xix. 427.  
*Crymophilus*, xxiv. 693.  
*Crypsirhina*, iii. 83.  
*Cryptolopha*, iv. 393.  
*Cryptorhina*, iii. 74.  
*Cryptospiza*, xiii. 254.  
*Crypturus*, xxvii. 514.  
*Cuculus*, xix. 240.  
*Culicicapa*, iv. 369.  
*Culicivora*, xiv. 97.  
*Cuphopterus*, iii. 302.  
*Curæus*, xi. 354.  
*Cursorius*, xxiv. 34.  
*Cutia*, vii. 646.  
*Cyanicterus*, xi. 193.  
*Cyanochen*, xxvii. 139.  
*Cyanocitta*, iii. 106.  
*Cyanocorax*, iii. 119.  
*Cyanolesbia*, xvi. 136.  
*Cyanolyseus*, xx. 205.  
*Cyanomyia*, xvi. 194.  
*Cyanomyias*, iv. 278.  
*Cyanophaia*, xvi. 233.  
*Cyanopolius*, iii. 67.  
*Cyanops*, xix. 61.  
*Cyanopsittacus*, xx. 150.  
*Cyanorhamphus*, xx. 577.  
*Cyanospiza*, xii. 613.  
*Cyanotis*, xiv. 109.  
*Cybernetes*, xiv. 40.  
*Cyclopsittacus*, xx. 88.  
*Cyclorhis*, viii. 316.  
*Cygnopsis*, xxvii. 107.  
*Cygnus*, xxvii. 25.  
*Cymbilanius*, xv. 178.  
*Cymborhynchus*, xiv. 468.  
*Cymodroma*, xxv. 364.  
*Cyphorhinus*, vi. 289.  
*Cypseloides*, xvi. 492.  
*Cypsnagra*, xi. 221.  
*Cyrtonyx*, xxii. 425.  
*Dacelo*, xvii. 204.  
*Dacnis*, xi. 18.  
*Dactylortyx*, xxii. 429.

- Dafila, xxvii. 270.  
 Damophila, xvi. 235.  
 Daption, xxv. 428.  
 Dasycrotopha, vii. 57 l.  
 Dasylophus, xix. 403.  
 Dasyptilus, xx. 385.  
 Deflippia, xxiv. 126.  
 Delattria, xvi. 308.  
 Delothraupis, xi. 142.  
 Demiegredda, xxvi. 136.  
 Dendragapus, xxii. 73.  
 Dendrexetastes, xv. 140.  
 Dendrobates, xviii. 337.  
 Dendrobiastes, vii. 630.  
 Dendrocincla, xv. 162.  
 Dendrocitta, iii. 75.  
 Dendrocolaptes, xv. 169.  
 Dendrocoptes, xviii. 286.  
 Dendrocopus, xviii. 201.  
 Dendrocycna, xxvii. 144.  
 Dendroeca, x. 264.  
 Dendropicus, xviii. 293.  
 Dendroplex, xv. 138.  
 Dendroornis, xv. 127.  
 Dendrorityx, xxii. 392.  
 Deroptylus, xx. 335.  
 Diaphorapteryx, xxiii. 68.  
 Diaphorophya, iv. 140.  
 Dicæum, x. 10.  
 Dichoceros, xvii. 355.  
 Dichromanassa, xxvi. 106.  
 Dicranostreptus, iii. 256.  
 Dicrocerus, xvii. 41.  
 Dicrurus, iii. 229.  
 Didunculus, xxi. 629.  
 Didus, xxi. 632.  
 Digenea, iv. 458.  
 Diglossa, xi. 2.  
 Diglossopsis, xi. 11.  
 Dilophus, xiii. 61.  
 Dinemellia, xiii. 506.  
 Diomedea, xxv. 440.  
 Diphlogæna, xvi. 121.  
 Diphyllodes, iii. 173.  
 Diplopterus, xix. 423.  
 Discura, xvi. 131.  
 Dissemuroides, iii. 25 l.  
 Dissemurus, iii. 251.  
 Dissura, xxvi. 294.  
 Diuca, xii. 800.  
 Diucopsis, xi. 279.  
 Dives, xi. 391.  
 Docimastes, xvi. 315.  
 Doleromyia, xvi. 177.  
 Dolichonyx, xi. 331.  
 Doliornis, xiv. 390.  
 Dolospingus, xii. 141.  
 Donacobius, vi. 364.  
 Doricha, xvi. 380.  
 Drepanis, x. 5.  
 Drepanoptila, xxi. 158.  
 Drepanorhynchus, ix. 291.  
 Drepanornis, iii. 160.  
 Dromæocercus, vii. 99.  
 Dromæus, xxvii. 585.  
 Dromas, xxiv. 27.  
 Dromococcyx, xix. 425.  
 Drymocataphus, vii. 552.  
 Drymochaera, vii. 550.  
 Drymocichla, vii. 149.  
 Drymædus, vii. 343.  
 Drymornis, xv. 157.  
 Dryococcyx, xix. 400.  
 Dryodromas, vii. 144.  
 Dryolimnas, xxiii. 70.  
 Dryonastes, vii. 454.

- Dryoscopus*, viii. 130.  
*Dryotomus*, xviii. 514.  
*Dryotriorehis*, i. 278.  
*Dubusia*, xi. 152.  
*Dulus*, x. 218.  
*Dumetia*, vii. 514.  
*Dupetor*, xxvi. 246.  
*Dysithamnus*, xv. 219.
- Eelectus*, xx. 388.  
*Ectopistes*, xxi. 369.  
*Edoliisoma*, iv. 42.  
*Edolius*, iii. 254.  
*Elainea*, xiv. 136.  
*Elanoides*, i. 317.  
*Elanus*, i. 336.  
*Elaphrocnemus*, xxiii. 227.  
*Elaphronis*, vii. 517.  
*Elasmonetta*, xxvii. 287.  
*Ellisia*, vii. 120.  
*Elminia*, iv. 363.  
*Elvira*, xvi. 74.  
*Emberiza*, xii. 476.  
*Emberizoides*, xii. 768.  
*Embernagra*, xii. 757.  
*Emblema*, xiii. 295.  
*Empidagra*, xiv. 154.  
*Empidias*, xiv. 264.  
*Empidochanes*, xiv. 216.  
*Empidonax*, xiv. 221.  
*Empidonomus*, xiv. 265.  
*Enodes*, xiii. 192.  
*Entomophila*, ix. 218.  
*Entomyza*, ix. 268.  
*Eophona*, xii. 28.  
*Eopsaltria*, viii. 175.  
*Eos*, xx. 18.  
*Ephippiorhynchus*, xxvi. 312.
- Ephthianura*, vii. 666.  
*Epimachus*, iii. 161.  
*Eremomela*, vii. 157.  
*Ereunetes*, xxiv. 514.  
*Ergaticus*, x. 406.  
*Eriocnemis*, xvi. 360.  
*Erismatura*, xxvii. 441.  
*Erithacus*, v. 292.  
*Eroessa*, vii. 150.  
*Erythrobucco*, xix. 16.  
*Erythrocerus*, iv. 298.  
*Erythrocihla*, vii. 551.  
*Erythrocnema*, i. 84.  
*Erythrocnus*, xxvi. 200.  
*Erythrogonys*, xxiv. 124.  
*Erythromachus*, xxiii. 69, 333.  
*Erythromyias*, iv. 199.  
*Erythrophoyx*, xxvi. 252.  
*Erythropygia*, vii. 72.  
*Erythrospiza*, xii. 284.  
*Erythrura*, xiii. 380.  
*Esacus*, xxiv. 20.  
*Estrilda*, xiii. 390.  
*Eucephala*, xvi. 239.  
*Eucichla*, xiv. 445.  
*Eucometis*, xi. 217.  
*Eucorystes*, xi. 311.  
*Eudocimus*, xxvi. 39.  
*Eudosia*, xvi. 132.  
*Eudromias*, xxiv. 234.  
*Eudynamis*, xix. 315.  
*Eudypstula*, xxvi. 645.  
*Eugenes*, xvi. 302.  
*Eugenia*, xvi. 316.  
*Euhyas*, xxiv. 171, 736.  
*Eulabeornis*, xxiii. 49.  
*Eulabes*, xiii. 98, 667.  
*Eulampis*, xvi. 102.

- Eulipoa, xxii. 462.  
 Eumomota, xvii. 317.  
 Eunctta, xxvii. 218.  
 Eupetes, vii. 338.  
 Eupetomena, xvi. 295.  
 Eupherusa, xvi. 72.  
 Euphonia, xi. 58.  
 Eupodotis, xxiii. 322.  
 Euprinodes, vii. 140.  
 Eupsychortyx, xxii. 407.  
 Euptilotis, xvii. 436.  
 Eurocephalus, iii. 279.  
 Eurostopus, xvi. 607.  
 Euryceros, iii. 326.  
 Eurylæmus, xiv. 463.  
 Eurynorhynchus, xxiv. 535.  
 Euryptila, vii. 116.  
 Eurypyga, xxiii. 240.  
 Eurystomus, xvii. 28.  
 Euscarthmus, xiv. 78.  
 Eustephanus, xvi. 156.  
 Euthyrhynchus, ix. 286.  
 Eutoxeres, xvi. 261.  
 Eutrygon, xxi. 609.  
 Euxenura, xxvi. 297.  
 Excalfactoria, xxii. 249.  
  
 Falcipennis, xxii. 72.  
 Falco, i. 374.  
 Falculia, iii. 145.  
 Falcunculus, viii. 172.  
 Floricola, xvi. 228.  
 Florida, xxvi. 100.  
 Florisuga, xvi. 328.  
 Fluvicola, xiv. 35.  
 Formicarius, xv. 301.  
 Formicivora, xv. 248.  
 Foudia, xiii. 432.  
  
 Francolinus, xxii. 127.  
 Fraseria, iii. 303.  
 Fratercula, xxvi. 615.  
 Fregata, xxvi. 442.  
 Fregilupus, xiii. 194.  
 Fringilla, xii. 170.  
 Fringillaria, xii. 557.  
 Fulica, xxiii. 209.  
 Fuligula, xxvii. 354.  
 Fulmarus, xxv. 424.  
 Fulvetta, vii. 628.<sup>\*\*\*</sup>  
 Furnarius, xv. 10.  
  
 Gabianus, xxv. 297.  
 Galactochrysea, xxiv. 62.  
 Galbaleyrhynchus, xix. 175.  
 Galbula, xix. 163.  
 Galcoscopes, vi. 335.  
 Galerita, xiii. 625.  
 Gallicrex, xxiii. 183.  
 Gallinago, xxiv. 616.  
 Gallinula, xxiii. 167.  
 Gallirex, xix. 446.  
 Galloperdix, xxii. 260.  
 Gallus, xxii. 343.  
 Gampsonyx, i. 340.  
 Gampsorhynchus, vii. 386.  
 Garrodia, xxv. 361.  
 Garrulax, vii. 434.  
 Garrulus, iii. 91.  
 Garzetta, xxvi. 118.  
 Gauropicoides, xviii. 132.  
 Gazzola, iii. 47.  
 Gecinulus, xviii. 134.  
 Gecinus, xviii. 33.  
 Gelochelidon, xxv. 25.  
 Gennæus, xxii. 296.  
 Geobates, xv. 4.  
 •

- Geobiastes, xvii. 6.  
 Geocichla, v. 147.  
 Geococcyx, xix. 419.  
 Geocolaptes, xviii. 9.  
 Geoffroyus, xx. 399.  
 Geopelia, xxi. 454.  
 Geophaps, xxi. 531.  
 Geopsittacus, xx. 597.  
 Gcositta, xv. 5.  
 Geospiza, xii. 6.  
 Geothlypis, x. 350.  
 Geotrygon, xxi. 564.  
 Geranopsis, xxiii. 277.  
 Geranospizias, i. 80.  
 Geronticus, xxvi. 17.  
 Gervaisia, vii. 66.  
 Gerygone, iv. 211.  
 Glareola, xxiv. 53.  
 Glaucidium, ii. 188.  
 Glaucis, xvi. 41.  
 Glaucopis, iii. 142.  
 Globicera, xxi. 172.  
 Glossiptila, xi. 47.  
 Glossopsittacus, xx. 67.  
 Glottis, xxiv. 480.  
 Glyciphila, ix. 209.  
 Glyphorhynchus, xv. 124.  
 Gnathosittaca, xx. 208.  
 Gorsachius, xxvi. 166.  
 Goura, xxi. 619.  
 Graculipica, xiii. 76.  
 Graculus, iii. 146.  
 Grallaria, xv. 311.  
 Grallaricula, xv. 325.  
 Grallina, iii. 272.  
 Graminicola, vii. 233.  
 Grammatoptila, vii. 450.  
 Granatellus, x. 369.  
 Granatina, xiii. 403.  
 Graptocephalus, xxvi. 14.  
 Graucalus, iv. 23.  
 Grus, xxiii. 249.  
 Gubernatrix, xii. 815.  
 Guira, xix. 433.  
 Guiraca, xii. 65.  
 Guttera, xxii. 380.  
 Gygis, xxv. 149.  
 Gymnasio, ii. 149.  
 Gymnobucco, xix. 34.  
 Gymnocephalus, xiv. 401.  
 Gymnocichla, xv. 271.  
 Gymnocorax, iii. 50.  
 Gymnocrex, xxiii. 52.  
 Gymnoderus, xiv. 402.  
 Gymnokitta, iii. 138.  
 Gymnolæmus, xvii. 370.  
 Gymnomystax, xi. 361.  
 Gymnopelia, xxi. 468.  
 Gymnophaps, xxi. 240.  
 Gymnopithys, xv. 296.  
 Gymnorhina, viii. 91.  
 Gymnoschizorhis, xix. 455.  
 Gymnostinops, xi. 312.  
 Gypaetus, i. 228.  
 Gypohierax, i. 312.  
 Gypoictinia, i. 335.  
 Gypsopsittacus, xx. 349.  
 Gyps, i. 4.  
 Gypsophila, vii. 561.  
 Gypsornis, xxiii. 226.  
 Habroptila, xxiii. 63.  
 Habrura, xiv. 96.  
 Hadrostomus, xiv. 333.  
 Hæmatoderus, xiv. 395.  
 Hæmatopus, xxiv. 105.

- Hæmatortyx, xxii. 221.  
 Hæmophila, xii. 721.  
 Hagedashia, xxvi. 19.  
 Hagiopsar, xiii. 168.  
 Halcyon, xvii. 213.  
 Haliaetus, i. 301.  
 Haliastur, i. 312.  
 Halobæna, xxv. 431.  
 Halocyptena, xxv. 346.  
 Hapalarpactes, xvii. 496.  
 Hapalocercus, xiv. 93.  
 Hapaloderma, xvii. 477.  
 Hapaloptila, xix. 202.  
 Haplopetia, xxi. 537.  
 Haplospiza, xii. 626.  
 Harelda, xxvii. 388.  
 Harpa, i. 372.  
 Harpactes, xvii. 480.  
 Harpagus, i. 360.  
 Harpiprion, xxvi. 25.  
 Harporhynchus, vi. 353.  
 Harpyhaliaetus, i. 221.  
 Hartlaubius, xiii. 120.  
 Hedymeles, xii. 58.  
 Heleothreptes, xvi. 592.  
 Heliactin, xvi. 432.  
 Heliangelus, xvi. 159.  
 Helianthea, xvi. 123.  
 Helicura, xiv. 311.  
 Heliobletus, xv. 104.  
 Heliobucco, xix. 36.  
 Heliochoera, xiv. 390.  
 Heliocorys, xiii. 623.  
 Heliodoxa, xvi. 317.  
 Heliomaster, xvi. 119.  
 Heliopais, xxiii. 232.  
 Heliornis, xxiii. 233.  
 Heliiothrix, xvi. 30.  
 Heliotrypha, xvi. 164.  
 Helminthophila, x. 233.  
 Helminthotherus, x. 229.  
 Helodromas, xxiv. 437.  
 Helotarsus, i. 299.  
 Hemicercus, xviii. 482.  
 Hemichelidon, iv. 120.  
 Hemidacnis, xi. 17.  
 Hemignathus, x. 3.  
 Hemilophus, xviii. 494.  
 Hemiphaga, xxi. 236.  
 Hemipus, iii. 305.  
 Hemistephania, xvi. 38.  
 Hemitriccus, xiv. 91.  
 Hemixus, vi. 48.  
 Henicognathus, xx. 209.  
 Heniconetta, xxvii. 418.  
 Henicopernis, i. 341.  
 Henicophaps, xxi. 524.  
 Henicorhina, vi. 285.  
 Henicornis, xv. 26.  
 Henicurus, vii. 312.  
 Herodias, xxvi. 88.  
 Herpetotheres, i. 277.  
 Herpornis, vii. 636.  
 Herpsilochmus, xv. 244.  
 Hesperiphona, xii. 32.  
 Heteractitis, xxiv. 449.  
 Heteralocha, iii. 143.  
 Heterhyphantes, xiii. 414.  
 Heterocercus, xiv. 324.  
 Heterocnemis, xv. 274.  
 Heterocnus, xxvi. 198.  
 Heterocorax, iii. 11.  
 Heterocorys, xiii. 524.  
 Heteroglaux, ii. 141.  
 Heteromyias, iv. 239.  
 Heteronetta, xxvii. 325.

- Heteropelma*, xiv. 318.  
*Heteropsar*, xiii. 185.  
*Heteropygia*, xxiv. 561.  
*Heterospizias*, i. 160.  
*Heterotetrax*, xxiii. 296.  
*Hieracidea*, i. 420.  
*Hierococyx*, xix. 231.  
*Hierofalco*, i. 410.  
*Himantopus*, xxiv. 309.  
*Himantornis*, xviii. 69.  
*Himatione*, x. 8.  
*Hirundinea*, xiv. 195.  
*Hirundo*, x. 123.  
*Histriophaps*, xxi. 529.  
*Histurgops*, xiii. 505.  
*Hodgsonius*, vii. 81.  
*Homorus*, xv. 85.  
*Hoplopterus*, xxiv. 157.  
*Hoploxypterus*, xxiv. 135.  
*Houbara*, xxiii. 318.  
*Houbaropsis*, xxiii. 315.  
*Hydralector*, xxiv. 79.  
*Hydranassa*, xxvi. 126.  
*Hydrochelidon*, xxv. 5.  
*Hydrocichla*, vii. 318.  
*Hydrocorax*, xvii. 357.  
*Hydrophasis*, xxiv. 69.  
*Hydroprogne*, xxv. 32.  
*Hydropsalis*, xvi. 598.  
*Hyetornis*, xix. 372.  
*Hylacola*, vii. 346.  
*Hylactes*, xv. 348.  
*Hylexetastes*, xv. 141.  
*Hylia*, vii. 171.  
*Hyliota*, iv. 247.  
*Hylocharis*, xvi. 245.  
*Hylomanes*, xvii. 332.  
*Hylonympa*, xvi. 325.  
*Hylophilus*, viii. 305.  
*Hymenolæmus*, xxvii. 455.  
*Hypergerus*, vii. 351.  
*Hyphantornis*, xiii. 437.  
*Hypochæra*, xiii. 308.  
*Hypocharnosyna*, xx. 72.  
*Hypocnemis*, xv. 284.  
*Hypocolius*, iii. 316.  
*Hypolais*, v. 75.  
*Hypophæa*, xi. 84.  
*Hypopicus*, xviii. 198.  
*Hypopyrrhus*, xi. 403.  
*Hypositta*, viii. 365.  
*Hypotænidia*, xxiii. 32.  
*Hypothymis*, iv. 273.  
*Hypoxanthus*, xviii. 29.  
*Hypsipetes*, vi. 35.  
*Hypuroptila*, xvi. 87.  
*Iache*, xvi. 59.  
*Ianthocinclæ*, vii. 382.  
*Ibidorhynchus*, xxiv. 335.  
*Ibis*, xxvi. 4.  
*Ibycter*, i. 34.  
*Icteria*, x. 373.  
*Icteropsis*, xiii. 410.  
*Icterus*, xi. 362.  
*Ictinia*, i. 364.  
*Idiopsar*, xii. 797.  
*Indicator*, xix. 2.  
*Inocotis*, xxvi. 12.  
*Iodopleura*, xiv. 392.  
*Iolæma*, xvi. 321.  
*Iole*, vi. 54.  
*Ipocrantor*, xviii. 480.  
*Irena*, iii. 265; vi. 174.  
*Iridornis*, xi. 139.  
*Irrisor*, xvi. 16.

- Ispidina, xvii. 190.  
 Ithagenes, xxii. 267.  
 Ixocincla, vi. 44.  
 Ixouotus, vi. 118.  
 Ixulus, vii. 612.  
 Iyngipicus, xviii. 309.  
 Iynx, xviii. 559.
- Jacamaralcyon, xix. 174.  
 Jacamerops, xix. 176.  
 Jacana, xxiv. 81.  
 Junco, xii. 646.
- Kelaartia, vi. 162.  
 Kenopia, vii. 573.  
 Ketupa, ii. 4.  
 Klais, xvi. 359.
- Lafresnaya, xvi. 326.  
 Lagonosticta, xiii. 271.  
 Lagopus, xxii. 35.  
 Lalage, iv. 86.  
 Laletes, viii. 313.  
 Lampornis, xvi. 91.  
 Lampraster, xvi. 323.  
 Lampribus, xxvi. 38.  
 Lamprocolius, xiii. 170.  
 Lamprolæma, xvi. 314.  
 Lamprolia, vii. 31.  
 Lampropsar, xi. 388.  
 Lampropygia, xvi. 132.  
 Lamprospiza, xi. 296.  
 Lamprotes, xi. 231.  
 Lamprotornis, xiii. 154.  
 Laniarius, viii. 150.  
 Laniellus, viii. 230.  
 Lanio, xi. 201.  
 Lanioturdus, iv. 237.
- Lanius, viii. 232.  
 Larus, xxv. 169.  
 Lathria, xiv. 350.  
 Laticilla, vii. 118.  
 Lawrenceia, xiv. 233.  
 Legatus, xiv. 155.  
 Leguatia, xxiii. 225.  
 Leistes, xi. 348.  
 Lepidogrammus, xix. 404.  
 Lepidolarynx, xvi. 120.  
 Lepocestes, xviii. 379.  
 Leptasthenura, xv. 34.  
 Leptero dius, xxvi. 114.  
 Leptodon, i. 329.  
 Leptopœcile, viii. 86.  
 Leptopogon, xiv. 114.  
 Leptopterus, iii. 282.  
 Leptoptila, xxi. 543.  
 Leptoptilus, xxvi. 315.  
 Leptornis, ix. 266.  
 Leptosoma, xvii. 1.  
 Leptotriceus, xiv. 99.  
 Lerwa, xxii. 100, 558.  
 Lesbia, xvi. 146.  
 Leucippus, xvi. 200.  
 Leucochloris, xvi. 178.  
 Leucopeza, x. 227.  
 Leucophæus, xxv. 299.  
 Leucophoyx, xxvi. 124.  
 Leucosarcia, xxi. 607.  
 Lichenops, xiv. 48.  
 Licmetis, xx. 133.  
 Ligia, x. 349.  
 Limicola, xxiv. 612.  
 Limnobænus, xxiii. 145.  
 Limnocorax, xxiii. 150.  
 Limnocryptes, xxiv. 665.  
 Limnogeranus, xxiii. 259.  
 Limnopardalus, xxiii. 27.

- Linnophyes, xv. 76.  
 Linnornis, xv. 77.  
 Limonidromus, x. 532.  
 Limonites, xxiv. 537.  
 Limosa, xxiv. 372.  
 Linura, xiii. 210.  
 Liocichla, vii. 611.  
 Liopicus, xviii. 289.  
 Lioptila, vii. 80.  
 Lioptilus, iv. 262.  
 Liosecles, xv. 344.  
 Liothrix, vii. 644.  
 Lipaugus, xiv. 356.  
 Lipoa, xxii. 463.  
 Lissotis, xxiii. 304.  
 Lobiophasis, xxii. 291.  
 Lobipluvia, xxiv. 130.  
 Lobivanellus, xxiv. 138.  
 Lobornis, x. 78.  
 Lobotus, iv. 58.  
 Lochmias, xv. 28.  
 Locustella, v. 107.  
 Loddigesia, xvi. 355.  
 Lophoæetus, i. 274.  
 Lophoceros, xvii. 398.  
 Lophodytes, xxvii. 468.  
 Lophogyps, i. 15.  
 Lophoietinia, i. 326.  
 Lophokæmus, xxi. 235.  
 Lophophaps, xxi. 533.  
 Lophophorus, xxii. 277.  
 Lophopsittacus, xx. 102.  
 Lophorhina, iii. 179.  
 Lophornis, xvi. 419.  
 Lophortyx, xxii. 399.  
 Lophospingus, xii. 805.  
 Lophotibis, xxvi. 27.  
 Lophotis, xxiii. 290.  
 Lophotriccus, xiv. 86.  
 Lophotriorchis, i. 255.  
 Lophura, xxii. 286.  
 Loriculus, xx. 515.  
 Lorius, xx. 31.  
 Loxia, xii. 435.  
 Loxigilla, xii. 82.  
 Loximitris, xii. 233.  
 Loxioides, x. 49.  
 Loxops, x. 49.  
 Lullula, xiii. 636.  
 Lunda, xxvi. 611.  
 Lurocalis, xvi. 621.  
 Lusciniola, v. 120.  
 Lycocorax, iii. 185.  
 Lyncornis, xvi. 603.  
 Lyrurus, xxii. 53.  
 Machæramphus, i. 342.  
 Machæropterus, xiv. 303.  
 Machærorhynchus, iv. 390.  
 Machetornis, xiv. 52.  
 Macraglaeus, xi. 403.  
 Macrocorax, iii. 51.  
 Macrodipteryx, xvi. 594.  
 Macronus, vii. 583.  
 Macronyx, x. 623.  
 Macropsalis, xvi. 601.  
 Macropteryx, xvi. 512.  
 Macropygia, xxi. 335.  
 Macrorhamphus, xxiv. 393.  
 Macrosphenus, vii. 530.  
 Macruropsar, xiii. 152.  
 Majaqucus, xxv. 395.  
 Malacias, vii. 403.  
 Malacopteron, vii. 563.  
 Malacoptila, xix. 193.  
 Malacorhynchus, xxvii. 319.

- Malacothraupis, xi. 216.  
 Malia, vii. 587.  
 Malimbus, xiii. 477.  
 Malurus, iv. 285.  
 Manorhina, ix. 258.  
 Mantocodia, iii. 181.  
 Mareca, xxvii. 227.  
 Margaroperdix, xxii. 195.  
 Margarornis, xv. 121.  
 Marmaronetta, xxvii. 320.  
 Mascarinus, xx. 421.  
 Masius, xiv. 290.  
 Mecocerculus, xiv. 27.  
 Megabias, iv. 387.  
 Megacephalon, xxii. 471.  
 Megacrex, xxiii. 63.  
 Megadyptes, xxvi. 644.  
 Megalæma, xix. 52.  
 Megalestris, xxv. 314.  
 Megaloprepia, xxi. 166.  
 Megalurulus, vii. 400.  
 Megalurus, vii. 122.  
 Megapodius, xxii. 416.  
 Megarhynchus, xiv. 189.  
 Melæornis, iii. 315.  
 Melanerpes, xviii. 139.  
 Melanobucco, xix. 17.  
 Melanocharis, x. 79.  
 Melanocichla, vii. 451.  
 Melanocorypha, xiii. 550.  
 Melanoperdix, xxii. 227.  
 Melanophoyx, xxvi. 104.  
 Melanopteryx, xiii. 476.  
 Melanoptila, vi. 331.  
 Melanopyrrhus, xiii. 113.  
 Melanorectes, iii. 289.  
 Melanotis, vi. 362.  
 Meleagris, xxii. 386.  
 Melidectes, ix. 285.  
 Melidora, xvii. 201.  
 Melierax, i. 86.  
 Meliornis, ix. 251.  
 Meliphaga, ix. 221.  
 Melirrhophetes, ix. 288.  
 Melithreptus, ix. 204.  
 Melitograis, ix. 281.  
 Melittophagus, xvii. 44, 498.  
 Mellisuga, xvi. 409.  
 Melopelia, xxi. 391.  
 Melophus, xii. 568.  
 Melopsittacus, xx. 594.  
 Melopyrrha, xii. 141.  
 Melospiza, xii. 696.  
 Menura, xiii. 661.  
 Merganetta, xxvii. 457.  
 Merganser, xxvii. 471.  
 Mergus, xxvii. 463.  
 Meropogon, xvii. 87.  
 Merops, xvii. 58.  
 Merula, v. 232.  
 Merulaxis, xv. 343.  
 Mesia, vii. 642.  
 Mesites, xxiii. 244.  
 Mesobucco, xix. 85.  
 Mesophoyx, xxvi. 85.  
 Mesopicus, xviii. 367.  
 Mesoscolopax, xxiv. 371.  
 Metabolus, iv. 238.  
 Metallura, xvi. 150.  
 Metopia, xiv. 290.  
 Metopiana, xxvii. 332.  
 Metopidius, xxiv. 72.  
 Metopothrix, xiv. 292.  
 Mctriopelia, xxi. 497.  
 Micranous, xxv. 143.  
 Micrastur, i. 74.

- Micrathene, ii. 224.  
 Microcereulus, vi. 295.  
 Microchera, xvi. 66.  
 Microcichla, vii. 322.  
 Microcorax, iii. 48.  
 Microdynamis, xix. 328.  
 Microeca, iv. 122.  
 Microglossus, xx. 102.  
 Microhierax, i. 366.  
 Micromonacha, xix. 199.  
 Micropalama, xxiv. 401.  
 Microparra, xxiv. 88.  
 Microperdix, xxii. 202.  
 Micropternus, xviii. 392.  
 Micropus, vi. 64; xvi. 437.  
 Microsarcops, xxiv. 133.  
 Microsittace, xx. 210.  
 Microspingus, xi. 252.  
 Microstictus, xviii. 489.  
 Microtribonyx, xxiii. 165.  
 Micruria, xxvi. 594.  
 Miglyptes, xviii. 384.  
 Miliaria, xii. 552.  
 Milvulus, xiv. 277.  
 Milvus, i. 319.  
 Mimocichla, v. 280.  
 Mimus, vi. 336.  
 Minla, vii. 606.  
 Mino, xiii. 111.  
 Mionectes, xiv. 111.  
 Miraфра, xiii. 593.  
 Miro, iv. 234.  
 Misocalius, xix. 279.  
 Mitrephanus, xiv. 218.  
 Mitua, xxii. 485.  
 Mixornis, vii. 575.  
 Mniotilta, x. 251.  
 Moho, ix. 284.  
 Molothrus, xi. 332.  
 Molybdophanes, xxvi. 24.  
 Momotus, xvii. 318.  
 Monacha, xix. 202.  
 Monachaleyon, xvii. 293.  
 Monachella, iv. 240.  
 Monarcha, iv. 429.  
 Monticola, v. 312.  
 Montifringilla, xii. 257.  
 Morococyx, xix. 422.  
 Morphnus, i. 222.  
 Motacilla, x. 457.  
 Moupina, vii. 630.  
 Munia, xiii. 326, 669.  
 Muscicapa, iv. 149.  
 Muscicapula, iv. 203.  
 Muscigralla, xiv. 63.  
 Muscipipra, xiv. 49.  
 Muscisaxicola, xiv. 53.  
 Muscivora, xiv. 191.  
 Muscylva, iv. 233.  
 Musophaga, xix. 447.  
 Mycerobas, xii. 41.  
 Mycteria, xxvi. 314.  
 Myiadectes, vi. 368.  
 Myiagra, iv. 371.  
 Myiarchus, xiv. 246.  
 Myiobius, xiv. 198.  
 Myioceyx, xvii. 195.  
 Myiochanes, xiv. 245.  
 Myiodioctes, x. 431.  
 Myiodynastes, xiv. 182.  
 Myiopatis, xiv. 123.  
 Myiophoneus, vii. 6.  
 Myiotheretes, xiv. 8.  
 Myiozetetes, xiv. 159.

- Myopsittacus, xx. 231.  
 Myristicivora, xxi. 227.  
 Myrmeciza, xv. 277.  
 Myrmecocichla, v. 354.  
 Myrmotherula, xv. 229.  
 Myrtis, xvi. 416.  
 Mystacornis, vii. 531.  
 Myzomela, ix. 128.  
 Myzornis, vii. 635.  
  
 Nænia, xxv. 132.  
 Nannocnus, xxvi. 242.  
 Nanodes, xx. 592.  
 Nasica, xv. 156.  
 Nasiterna, xx. 138.  
 Nauclerus, i. 318.  
 Necropsar, xiii. 195.  
 Necropsittacus, xx. 387.  
 Nectarinia, ix. 3.  
 Nelicurvius, xiii. 436.  
 Nemosia, xi. 222.  
 Neochloc, viii. 305.  
 Neochmia, xiii. 389.  
 Neocichla, vii. 469.  
 Neocorys, x. 620.  
 Neocrex, xxiii. 163.  
 Neoctantes, xv. 218.  
 Neodrepanis, ix. 2.  
 Neolesbia, xvi. 145.  
 Neolestes, viii. 170.  
 Neomorphus, xix. 415.  
 Neomyia, iv. 342.  
 Neopelma, xiv. 323.  
 Neophema, xx. 569.  
 Neophron, i. 16.  
 Neopipo, xiv. 303.  
 Neopsittacus, xx. 86.  
  
 Neopus, i. 256.  
 Neorhynchus, xii. 87.  
 Neosecolopax, xxiv. 670.  
 Neotis, xiiii. 298.  
 Nesacanthus, xiii. 483.  
 Nesocelus, xviii. 419.  
 Nesochen, xxvii. 126.  
 Nesocichla, vi. 332.  
 Nesocittes, xviii. 552.  
 Nesœnas, xxi. 327.  
 Nesonetta, xxvii. 289.  
 Nesopelia, xxi. 390.  
 Nesopsar, xi. 353.  
 Nesospingus, xi. 271.  
 Nesospiza, xii. 779.  
 Nestor, xx. 4.  
 Netta, xxvii. 327.  
 Nettion, xxvii. 238.  
 Nettopus, xxvii. 64.  
 Newtonia, iv. 148.  
 Nicator, viii. 165.  
 Nigrita, xiii. 314.  
 Nilaus, viii. 167.  
 Niltava, iv. 462.  
 Ninox, ii. 151.  
 Nipponia, xxvi. 15.  
 Nisactus, i. 249.  
 Nisoides, i. 129.  
 Nomonyx, xxvii. 438.  
 Nonnula, xix. 199.  
 Nothocercus, xxvii. 509.  
 Nothocrax, xxii. 484.  
 Nothoprocta, xxvii. 550.  
 Nothura, xxvii. 558.  
 Notodcla, vii. 22.  
 Notophoyx, xxvi. 109.  
 Notornis, xxiii. 207.

- Nucifraga, iii. 52.  
 Numenius, xxiv. 310.  
 Numida, xxii. 374.  
 Nyctala, ii. 284.  
 Nyctanassa, xxvi. 130.  
 Nyctea, ii. 125.  
 Nyctibius, xvi. 623.  
 Nycticorax, xxvi. 145.  
 Nyctidromus, xvi. 587.  
 Nyctiornis, xvii. 88.  
 Nyctiprogne, xvi. 619.  
 Nymphicus, xx. 590.  
 Nyroca, xxvii. 334.  
  
 Oceanites, xxv. 358.  
 Oceanodroma, xxv. 347.  
 Ochthodiæta, xiv. 16.  
 Ochthodromus, xxiv. 209.  
 Ochthoeca, xiv. 18.  
 Ochthornis, xiv. 31.  
 Ocyalus, xi. 311.  
 Ocycceros, xvii. 394.  
 Ocydromus, xxiii. 64, 333.  
 Ocyphaps, xxi. 535.  
 Odontophorus, xxii. 430.  
 Œdemia, xxvii. 399.  
 Œdienemus, xxiv. 3.  
 Œdistoma, ix. 293.  
 Œna, xxi. 501.  
 Œnolimnas, xxiii. 86.  
 Œnops, i. 25.  
 Œstrelata, xxv. 397.  
 Oligura, vii. 603.  
 Oncostoma, xiv. 76.  
 Onycognathus, xiii. 165.  
 Ophrysia, xxii. 265.  
 Opisthocomus, xxii. 523.  
 Opisthoprora, xvi. 347.  
  
 Oporornis, x. 346.  
 Orchesticus, xi. 297.  
 Orebilus, xiv. 88.  
 Oreicola, iv. 263.  
 Oreocharis, x. 53.  
 Oreocorys, x. 622.  
 Oreoica, viii. 174.  
 Oreomanes, xi. 12.  
 Oreonympha, xvi. 338.  
 Oreophasis, xxii. 489.  
 Oreophilus, xxiv. 123.  
 Oreopsittacus, xv. 84.  
 Oreopyra, xvi. 305.  
 Oreortyx, xxii. 397.  
 Oreoscoptes, vi. 333.  
 Oreothraupis, xi. 298.  
 Oreotrochilus, xvi. 334.  
 Origma, vii. 135.  
 Oriolus, iii. 188.  
 Ornithion, xiv. 125.  
 Ortalis, xxii. 504.  
 Orthocnemus, xxiii. 226.  
 Orthogonys, xi. 193.  
 Ortholophus, xvii. 424.  
 Orthonyx, vii. 329.  
 Orthorhamphus, xxiv. 22.  
 Orthotomus, vii. 219.  
 Ortygocichla, vii. 560.  
 Ortygops, xxiii. 126.  
 Ortygospiza, xiii. 269.  
 Ortyx, xxii. 414.  
 Ortyxelus, xxiv. 30.  
 Oryzoborus, xii. 26.  
 Osculatia, xxi. 563.  
 Osmotreron, xxi. 38.  
 Ossifraga, xxv. 422.  
 Ostinops, xi. 315.  
 Otidiphaps, xxi. 610.

- Otis*, xviii. 283.  
*Otocompsa*, vi. 157.  
*Otocoryx*, xiii. 528.  
*Otogyps*, i. 13.  
*Otophanes*, xvi. 581.  
*Oxyechus*, xxiv. 242.  
*Oxylabes*, vii. 571.  
*Oxypelia*, xxi. 490.  
*Oxypogon*, xvi. 339.  
*Oxyrhamphus*, xiv. 280.  
*Oxyurus*, xv. 29.
- Pachycare*, viii. 226.  
*Pachycephala*, viii. 182.  
*Pachycoccyx*, xix. 224.  
*Pachynus*, xx. 320.  
*Pachyrhamphus*, xiv. 337.  
*Pagodroma*, xxv. 419.  
*Pagophila*, xxv. 301.  
*Palæornis*, xx. 433.  
*Palamedea*, xxvii. 2.  
*Pandiou*, i. 448.  
*Panoplites*, xvi. 372.  
*Pantherpe*, xvi. 158.  
*Panurus*, viii. 77.  
*Panychlora*, xvi. 68.  
*Panyptila*, xvi. 461.  
*Paradigalla*, iii. 165.  
*Paradisea*, iii. 166.  
*Paradoxornis*, vii. 496.  
*Pardalotus*, x. 54.  
*Parcudiastes*, xxiii. 166.  
*Parisoma*, iv. 268.  
*Parmoptila*, x. 63.  
*Paroaria*, xii. 809.  
*Parotia*, iii. 176.  
*Parula*, x. 254.  
*Parus*, viii. 3.
- Passer*, xii. 298.  
*Passerculus*, xii. 674.  
*Passerella*, xii. 716.  
*Pastor*, xiii. 63.  
*Patagona*, xvi. 348.  
*Pauxis*, xxii. 487.  
*Pavo*, xxii. 368.  
*Pavoncella*, xxiv. 499.  
*Pealea*, xxv. 364.  
*Pediocætes*, xxii. 82.  
*Pedionomus*, xxii. 554.  
*Pelagodroma*, xxv. 362.  
*Pelargopsis*, xvii. 96.  
*Pelecanoides*, xxv. 437.  
*Pelecanus*, xxvi. 460.  
*Pelidna*, xxiv. 602.  
*Pellorneum*, vii. 518.  
*Peltohyas*, xxiv. 307.  
*Peltops*, iv. 433.  
*Penelope*, xxii. 490.  
*Penelopides*, xvii. 371.  
*Penclopina*, xxii. 502.  
*Pennula*, xxiii. 114.  
*Penthetria*, xiii. 215.  
*Penthetriopsis*, xiii. 220.  
*Pentholæa*, vii. 17.  
*Pernostola*, xv. 272.  
*Perdica*, xxii. 197.  
*Perdix*, xxii. 185.  
*Pericrocotus*, iv. 70.  
*Perisoreus*, iii. 103.  
*Perissoglossa*, x. 334.  
*Peristera*, xxi. 491.  
*Pernis*, i. 343.  
*Petasophora*, xvi. 105.  
*Petrochelidon*, x. 189.  
*Petroeca*, iv. 164.  
*Petronia*, xii. 288.

- Petrophassa, xvi. 530.  
 Peuceea, xii. 708.  
 Peucedramus, x. 337.  
 Pezopetes, xi. 253.  
 Pezophaps, xxi. 629.  
 Pezoporus, xx. 596.  
 Phabotreron, xvi. 66.  
 Phacelodomus, xv. 79.  
 Phaenorhina, xxi. 226.  
 Phavoehra, xvi. 299.  
 Phacolama, xvi. 321.  
 Phaeoptila, xvi. 63.  
 Phaeornis, iv. 5.  
 Phaëthon, xxvi. 450.  
 Phaethornis, xvi. 267.  
 Phaëthusa, xxv. 23.  
 Phainoepela, x. 220.  
 Phainoptila, x. 219.  
 Phalacrocorax, xxvi. 330.  
 Phalacroptilus, xvi. 579.  
 Phalaropus, xxiv. 698.  
 Phaleris, xxvi. 607.  
 Phaps, xxi. 525.  
 Pharomacrus, xvii. 430.  
 Phasianus, xxii. 318.  
 Phasidus, xxii. 373.  
 Phedina, x. 122.  
 Phegornis, xxiv. 681.  
 Pheneticus, xii. 50.  
 Phibalura, xiv. 372.  
 Philacte, xxvii. 109.  
 Philæterus, xiii. 249.  
 Philemon, ix. 269.  
 Philentoma, iv. 365.  
 Philepitta, xiv. 409.  
 Philohela, xxiv. 679.  
 Philortyx, xxii. 405.  
 Philydor, xv. 96.  
 Phimosus, xxvi. 26.  
 Phlaxis, vii. 111.  
 Phlacoeryptes, xv. 33.  
 Phlogœnas, xxi. 583.  
 Phlogophilus, xvi. 173.  
 Phlogopsis, xv. 299.  
 Phlogothraupis, xi. 178.  
 Phodilus, ii. 309.  
 Phœbetria, xxv. 453.  
 Phœnicocercus, xiv. 367.  
 Phœniconaias, xxvii. 18.  
 Phœnicoparrus, xxvii. 21.  
 Phœnicophaës, xix. 395.  
 Phœnicophilus, xi. 233.  
 Phœnicopterus, xxvii. 9.  
 Phœnicothraupis, xi. 195.  
 Pholidauges, xiii. 121.  
 Pholidornis, x. 76.  
 Phonipara, xii. 143.  
 Phonygama, iii. 180.  
 Phoyx, xxvi. 60.  
 Phrygilus, xii. 781.  
 Phyllergates, vii. 229.  
 Phyllolais, vii. 149.  
 Phyllomyias, xiv. 121.  
 Phyllopezus, xxiv. 76.  
 Phylloscartes, xiv. 92.  
 Phylloscopus, v. 37.  
 Phyllostrophus, vi. 115.  
 Physocorax, iii. 50.  
 Phytotoma, xiv. 406.  
 Piaya, xix. 373.  
 Pica, iii. 62.  
 Picathartes, iii. 141.  
 Picoides, xviii. 274.  
 Picolaptes, xv. 146.  
 Picumnus, xviii. 521.  
 Picus, xviii. 518.

- Piezorhina, xii. 89.  
 Piezorhynchus, iv. 413.  
 Pilerodius, xxvi. 171.  
 Pilorhinus, xiii. 167.  
 Pinarochroa, vii. 19.  
 Pinarocichla, vi. 61.  
 Pinarokema, xvi. 101.  
 Pinarolestes, iii. 293.  
 Pinaroloxias, x. 52.  
 Pinarornis, vii. 401.  
 Pinicola, xii. 459.  
 Pionopsittacus, xx. 338.  
 Pionus, xx. 321.  
 Pipile, xxii. 516.  
 Pipilo, xii. 741.  
 Pipra, xiv. 292.  
 Pipekola, xiv. 376.  
 Pipridea, xi. 91.  
 Piprites, xiv. 283.  
 Pitangus, xiv. 174.  
 Pithys, xv. 294.  
 Pitta, xiv. 413.  
 Pittasoma, xv. 309.  
 Pitylus, xi. 303.  
 Pityriasis, viii. 90.  
 Platalea, xxvi. 43.  
 Platibis, xxvi. 51.  
 Platycercus, xx. 540.  
 Platycichla, vi. 379.  
 Platylophus, iii. 317.  
 Platyrhynchus, xiv. 64.  
 Platysmurus, iii. 90.  
 Platystira, iv. 145.  
 Plautus, xxvi. 562.  
 Plectrophenax, xii. 572.  
 Plectropterus, xxvii. 46.  
 Plectrorhynchus, ix. 208.  
 Plegadis, xxvi. 29.  
 Ploceella, xiii. 474.  
 Ploceipasser, xiii. 244.  
 Ploceus, xiii. 487.  
 Plotus, xxvi. 410.  
 Pluvianellus, xxiv. 303.  
 Pluvianus, xxiv. 32.  
 Pnoepyga, vi. 301.  
 Podager, xvi. 619.  
 Podargus, xvi. 630.  
 Podasocys, xxiv. 240.  
 Podica, xxiii. 229.  
 Podiceps, xxvi. 502.  
 Podilymbus, xxvi. 553.  
 Podoces, iii. 150.  
 Pœcilodryas, iv. 240.  
 Pœcilonetta, xxvii. 281.  
 Pœcilothraupis, xi. 144.  
 Pœcephalus, xx. 362.  
 Poccoptera, iii. 281.  
 Pochila, xiii. 375.  
 Pogonorhynchus, xix. 15.  
 Pogonornis, ix. 250.  
 Pogonotriccus, xiv. 97.  
 Polioactus, i. 452.  
 Poliohierax, i. 369.  
 Poliolimnas, xxiii. 130.  
 Poliophus, vi. 63.  
 Poliomyias, iv. 201.  
 Polioptila, x. 440.  
 Poliospiza, xii. 342.  
 Polyboroides, i. 47.  
 Polyborus, i. 31.  
 Polymerata, xvi. 237.  
 Polyplectron, xxii. 353.  
 Polytelis, xx. 477.  
 Polytmus, xvi. 174.  
 Pomarea, iv. 434.  
 Pomatorhinus, vii. 408.

- Poræctes, vii. 670.  
 Poospiza, xii. 632.  
 Porphyrio, xviii. 192.  
 Porphyriola, xviii. 187.  
 Porphyriops, xviii. 182.  
 Porphyriornis, xviii. 166.  
 Porphyrocephalus, xx. 556.  
 Porphyrospiza, xii. 625.  
 Porzana, xviii. 92.  
 Porzanula, xviii. 133.  
 Pratincola, iv. 178.  
 Prinia, vii. 183.  
 Priocella, xxv. 393.  
 Priofinus, xxv. 390.  
 Prion, xxv. 132.  
 Prionirhynchus, xvii. 315.  
 Prioniturus, xx. 414.  
 Prionochilus, x. 63.  
 Prionops, iii. 319.  
 Prionotelus, xvii. 439.  
 Pristorhamphus, x. 82.  
 Procarduelis, xii. 182.  
 Procellaria, xxv. 313.  
 Procelsterna, xxv. 133.  
 Proenias, xi. 50.  
 Proenopsis, xi. 93.  
 Prodotoscus, xix. 11.  
 Progne, x. 172.  
 Promerops, ix. 282.  
 Propyrrhula, xii. 462.  
 Prosobonia, xxiv. 525.  
 Prothemadera, ix. 257.  
 Protonotaria, x. 249.  
 Prynmacantha, xvi. 428.  
 Psalidoproene, x. 202.  
 Psaltria, viii. 53.  
 Psammathia, vii. 101.  
 Psammoerex, xviii. 186.  
 Psarisomus, xiv. 158.  
 Psaroglossa, xiii. 117.  
 Psephotus, xx. 561.  
 Pseudobias, iv. 386.  
 Pseudochelidon, xiii. 21.  
 Pseudochloris, xii. 774.  
 Pseudocolaptes, xv. 77.  
 Pseudocossyphus, vii. 21.  
 Pseudodacnis, xi. 138.  
 Pseudogeranus, xviii. 266.  
 Pseudogerygone, iv. 215.  
 Pseudoglottis, xxiv. 479.  
 Pseudogyps, i. 11.  
 Pseudoleistes, xi. 351.  
 Pseudorectes, iii. 287.  
 Pseudotantalus, xxvi. 323.  
 Pseudotriccus, xiv. 85.  
 Psilopogon, xix. 98.  
 Psilorhamphus, xv. 259.  
 Psilorhinus, iii. 139.  
 Psittacella, xx. 498.  
 Psittacula, xx. 240.  
 Psittacus, xx. 377.  
 Psittanteles, xx. 63.  
 Psittinus, xx. 500.  
 Psittirostra, x. 51.  
 Psittospiza, xi. 281.  
 Psophia, xxiii. 278.  
 Psophodes, vii. 350.  
 Ptererythrius, viii. 112.  
 Pternistes, xxii. 173.  
 Pterocles, xxii. 16.  
 Pteroclorus, xxii. 6.  
 Pteroglossus, xix. 137.  
 Pteronetta, xxvii. 63.  
 Pterophanes, xvi. 117.  
 Pteropodocys, iv. 22.  
 Pterotochus, xv. 345.

- Pterorhinus, vii. 353.  
 Ptilochloris, xiv. 317.  
 Ptilocichla, vii. 586.  
 Ptilogonyx, x. 222.  
 Ptilolemus, xvii. 392.  
 Ptilonorhynchus, vi. 380.  
 Ptilopaehys, xxii. 255.  
 Ptilopus, xxi. 70.  
 Ptilopyga, vii. 585.  
 Ptilorhis, iii. 153.  
 Ptiloseclis, xxiv. 137.  
 Ptilosclera, xx. 66.  
 Ptilotis, ix. 222.  
 Ptistes, xx. 481.  
 Ptochoptera, xvi. 389.  
 Ptychorhamphus, xxvi. 599.  
 Pucrasia, xxii. 310.  
 Puffinus, xxv. 368.  
 Pycnonotus, vi. 120.  
 Pycnoptilus, vii. 312.  
 Pycnopygius, ix. 290.  
 Pycnorhamphus, xii. 43.  
 Pycrorhis, vii. 510.  
 Pygarrhicus, xv. 126.  
 Pygmornis, xvi. 280.  
 Pygoptila, xv. 217.  
 Pygoseclis, xxvi. 630.  
 Pyranga, xi. 181.  
 Pyrenestes, xiii. 252.  
 Pyrgisoma, xii. 731.  
 Pyriglena, xv. 269.  
 Pyrocephalus, xiv. 211.  
 Pyroderus, xiv. 397.  
 Pyromelana, xiii. 227.  
 Pyrrhocheira, xiii. 169.  
 Pyrrhocoma, xi. 222.  
 Pyrrhocorax, iii. 148.  
 Pyrrhoplectes, xii. 386.  
 Pyrrhospiza, xii. 431.  
 Pyrrhula, xii. 115.  
 Pyrrhulauda, xiii. 650.  
 Pyrrhulopsis, xx. 193.  
 Pyrrhulorhyncha, xii. 473.  
 Pyrrhuloxia, xii. 158.  
 Pyrrhuphonia, xi. 85.  
 Pyrrhura, xx. 211.  
 Pytelia, xiii. 300.  
 Quelea, xiii. 254.  
 Querquedula, xxvii. 290.  
 Querula, xiv. 396.  
 Quiscalus, xi. 393.  
 Rallicula, xxiii. 123.  
 Rallina, xxiii. 74.  
 Rallus, xxiii. 6.  
 Rectes, iii. 283.  
 Recurvirostra, xxiv. 326.  
 Regulus, viii. 79.  
 Reinwardtœnas, xxi. 365.  
 Rhamphastos, xix. 124.  
 Rhamphocœnus, xv. 260.  
 Rhamphocaris, x. 83.  
 Rhamphocinclus, vi. 325.  
 Rhamphococcyx, xix. 396.  
 Rhamphocœlus, xi. 169.  
 Rhamphocorys, xiii. 527.  
 Rhamphodon, xvi. 36.  
 Rhamphomantis, xix. 329.  
 Rhamphomieron, xvi. 341.  
 Rhea, xxvii. 577.  
 Rheinardtius, xxii. 366.  
 Rhinochetus, xxiii. 246.  
 Rhinocichla, vii. 452.  
 Rhinococcyx, xix. 397.

- Rhinocorax, iii. 45.  
 Rhinocrypta, xv. 347.  
 Rhinomyias, iv. 367.  
 Rhinoplax, xvii. 426.  
 Rhinopomastus, xvi. 23.  
 Rhinoptilus, xxiv. 43.  
 Rhinortha, xix. 392.  
 Rhipidornis, iii. 172.  
 Rhipidura, iv. 303.  
 Rhizothera, xxii. 183.  
 Rhodinocichla, vi. 366.  
 Rhodonessa, xxvii. 61.  
 Rhodopechys, xii. 280.  
 Rhodopis, xvi. 379.  
 Rhodospingus, xii. 808.  
 Rhodospiza, xii. 282.  
 Rhodostethia, xxv. 167.  
 Rhopodytes, xix. 384.  
 Rhopophilus, vii. 116.  
 Rhopoterpe, xv. 298.  
 Rhyacophilus, xxiv. 490.  
 Rhynchocyclus, xiv. 165.  
 Rhynchophanes, xii. 589.  
 Rhynchops, xxv. 152, 457.  
 Rhynchopsittacus, xx. 168.  
 Rhynchortyx, xxii. 443.  
 Rhynchostruthus, xii. 281.  
 Rhynchotus, xxvii. 547.  
 Rhytidoceros, xvii. 382.  
 Rimator, vii. 594.  
 Rissa, xxv. 305.  
 Rollulus, xxii. 225.  
 Rostratula, xxiv. 683.  
 Rostrhamus, i. 327.  
 Rougetius, xxiii. 162.  
 Rubigula, vi. 166.  
 Rupicola, xiv. 369.  
 Rutililla, v. 334.  
 Salpinctes, vi. 266.  
 Salpornis, viii. 329.  
 Saltator, xi. 282.  
 Saltatricula, xii. 737.  
 Salvadorina, xxvii. 454.  
 Sappeopipo, xviii. 378.  
 Sappho, xvi. 142.  
 Sarcidiornis, xxvii. 54.  
 Sarciphorus, xxiv. 128.  
 Sarcogeranus, xxiii. 260.  
 Sarcogrammus, xxiv. 148.  
 Sarcophanops, xiv. 462.  
 Sarcops, xiii. 96.  
 Sarcorhamphus, i. 20.  
 Sasia, xviii. 554.  
 Sauromarptes, xvii. 209.  
 Saurothera, xix. 369.  
 Saxicola, v. 362.  
 Sayornis, xiv. 32.  
 Scardafella, xxi. 463.  
 Sceloglaux, ii. 187.  
 Scenopæus, vi. 394.  
 Schiffornis, xiv. 322.  
 Schistes, xvi. 33.  
 Schistochlamys, xi. 301.  
 Schistospiza, xii. 806.  
 Schizœaca, xv. 31.  
 Schizorhis, xix. 450.  
 Schlegelia, iii. 175.  
 Schoenicola, vii. 109.  
 Scissirostrum, xiii. 193.  
 Sclerurus, xv. 113.  
 Scolecophagus, xi. 390.  
 Scolopax, xxiv. 671.  
 Scops, ii. 43.  
 Scoptelus, xvi. 21.  
 Scopus, xxvi. 288.  
 Scotocerca, vii. 212.

- Scotocichla, vii. 522.  
 Scotopelia, ii. 9.  
 Scotornis, xvi. 596.  
 Scytalopus, xv. 337.  
 Scythrops, xix. 329.  
 Seena, xxv. 37.  
 Selasphorus, xvi. 391.  
 Selenidera, xix. 148.  
 Seleucides, iii. 159.  
 Semioptera, iii. 178.  
 Sericornis, vii. 300.  
 Sericossypha, xi. 232.  
 Sericulus, vi. 395.  
 Serilophus, xiv. 460.  
 Serinus, xii. 348.  
 Serpentarius, i. 44.  
 Serpophaga, xiv. 101.  
 Serresius, xxi. 171.  
 Setophaga, x. 410.  
 Sialia, v. 327.  
 Sibia, vii. 401.  
 Sigmodus, iii. 322.  
 Siphia, iv. 441.  
 Siphonorhis, xvi. 591.  
 Siptornis, xv. 58.  
 Sirystes, xiv. 181.  
 Sisopygis, xiv. 41.  
 Sisura, iv. 407.  
 Sitagra, xiii. 424.  
 Sitta, viii. 341.  
 Sittella, viii. 360.  
 Sittosomus, xv. 118.  
 Siurus, x. 339.  
 Siva, vii. 637.  
 Smaragdochrysis, xvi. 388.  
 Smicrornis, iv. 209.  
 Smilorhis, xix. 36.  
 Smithornis, iv. 388.  
 Somateria, xxvii. 423.  
 Spathura, xvi. 375.  
 Spatula, xxvii. 306.  
 Spelæornis, vi. 264.  
 Speotyto, ii. 142.  
 Spermestes, xiii. 261.  
 Spermophila, xii. 90.  
 Spermospiza, xiii. 498.  
 Sphecotheres, iii. 223.  
 Spheniscus, xxvi. 648.  
 Sphenocercus, xxi. 4.  
 Sphenocichla, vi. 283.  
 Sphenœacus, vii. 94.  
 Sphenoproctus, xvi. 286.  
 Sphenostoma, viii. 74.  
 Sphenura, vii. 104.  
 Sphyropicus, xviii. 187.  
 Spilocorydon, xiii. 620.  
 Spiloptila, vii. 231.  
 Spilornis, i. 287.  
 Spindalis, xi. 165.  
 Spiza, xii. 770.  
 Spizaetus, i. 259.  
 Spizalauda, xiii. 621.  
 Spizella, xii. 657.  
 Spiziapteryx, i. 371.  
 Spiziastur, i. 258.  
 Spizixus, vi. 172.  
 Spizocorys, xiii. 564.  
 Spodiopsar, xiii. 665.  
 Spodiornis, xii. 798.  
 Sporadinus, xvi. 57.  
 Sporæginthus, xiii. 319.  
 Sporopipes, xiii. 407.  
 Spreo, xiii. 187.  
 Squatarola, xxiv. 182.  
 Stachyridopsis, vii. 597.  
 Stachyris, vii. 532.

- Stactocichla*, vii. 119.  
*Stactokema*, xix. 18.  
*Staganopleura*, xiii. 292.  
*Staphidia*, vii. 615.  
*Starnonas*, xxi. 612.  
*Steatornis*, xvi. 653.  
*Steganopus*, xxiv. 705.  
*Steganura*, xiii. 211.  
*Stelgidopteryx*, x. 206.  
*Stellula*, xvi. 113.  
*Stenopsis*, xvi. 582.  
*Stenostira*, iv. 267.  
*Stephanibyx*, xxiv. 177.  
*Stephanophorus*, xi. 143.  
*Stercorarius*, xxv. 322.  
*Sterna*, xxv. 40.  
*Sternoelyta*, xvi. 300.  
*Stictolinna*, xxiii. 333.  
*Stictonetta*, xxvii. 324.  
*Stictoptera*, xiii. 313.  
*Stictospiza*, xiii. 287.  
*Stigmatura*, xiv. 100.  
*Stiltia*, xxiv. 51.  
*Stiphronis*, vii. 173.  
*Stipiturus*, vii. 100.  
*Stoparola*, iv. 435.  
*Strepera*, iii. 57.  
*Streptocitta*, xiii. 152.  
*Stringops*, xx. 599.  
*Strix*, ii. 290.  
*Struthidea*, iii. 140.  
*Struthio*, xxvii. 571.  
*Sturnella*, xi. 358.  
*Sturnia*, xiii. 68.  
*Sturnopastor*, xiii. 56, 666.  
*Sturnornis*, xiii. 55.  
*Sturnus*, xiii. 26.  
*Sublegatus*, xiv. 157.  
*Sula*, xxvi. 423.  
*Surnia*, ii. 129.  
*Surniculus*, xix. 226.  
*Suthora*, vii. 186.  
*Sutoria*, vii. 215.  
*Suya*, vii. 176.  
*Sycalis*, xii. 376.  
*Sycobrotus*, xiii. 121.  
*Sylvia*, v. 3.  
*Sylviella*, vii. 153.  
*Sylviorthorhynchus*, xv.  
     31.  
*Syma*, xvii. 196.  
*Symmorphus*, iv. 109.  
*Symorhynchus*, xxvi. 600.  
*Symphemia*, xxiv. 405.  
*Synallaxis*, xv. 37.  
*Synœcus*, xxii. 246.  
*Synthliborhampus*, xxvi.  
     595.  
*Sypheotis*, xxiii. 312.  
*Syrigma*, xxvi. 170.  
*Syrnium*, ii. 244.  
*Syrrhaptus*, xxii. 2.  
  
*Taccocua*, xix. 381.  
*Tachornis*, xvi. 162.  
*Tachycineta*, x. 112.  
*Tachyeres*, xxvii. 373.  
*Tachyphonus*, xi. 205.  
*Tachytriorchis*, i. 161.  
*Tadorna*, xxvii. 170.  
*Tænioptera*, xiv. 10.  
*Tæniopygia*, xiii. 311.  
*Talegallus*, xxii. 464.  
*Tanagra*, xi. 153.  
*Tanagrella*, xi. 87.  
*Tantalus*, xxvi. 321.

- Tanygnathus, xx. 122.  
 Tanyptera, xvii. 296.  
 Taoniscus, xxvii. 56 f.  
 Tapinopus, xxiii. 227.  
 Tarsiger, iv. 25 f.  
 Tatare, vii. 52 f.  
 Telmatornis, xxiii. 226.  
 Telophonus, viii. 120.  
 Temenuchus, xiii. 73.  
 Temnurus, iii. 91.  
 Tephrocorys, xiii. 561.  
 Tephrodornis, iii. 274.  
 Terckia, xxiv. 474.  
 Terenura, xv. 257.  
 Terctistris, x. 367.  
 Tersiphone, iv. 344.  
 Tetrænura, xiii. 209.  
 Tetraxonops, xix. 120.  
 Tetrao, xxii. 59.  
 Tetraogallus, xxii. 103.  
 Tetraophasis, xxii. 102.  
 Tetrapteryx, xxiii. 268.  
 Tetrastes, xxii. 89.  
 Tetrax, xxiii. 287.  
 Textor, xiii. 508.  
 Thalassiornis, xxvii. 436.  
 Thalassœca, xxv. 392.  
 Thalassogeron, xxv. 449.  
 Thalurania, xvi. 76.  
 Thamnistes, xv. 215.  
 Thamnobia, vii. 53.  
 Thamnocharis, xv. 310.  
 Thamnolea, vii. 48.  
 Thamnomanes, xv. 226.  
 Thamnophilus, xv. 180.  
 Thamnormis, vii. 231.  
 Thaumastura, xvi. 418.  
 Thaumatis, xxvi. 14.  
 Theristicus, xxvi. 21.  
 Thinocorus, xxiv. 717.  
 Thinornis, xxiv. 304.  
 Thlypopsis, xi. 228.  
 Thrasactus, i. 223.  
 Threnetes, xvi. 263.  
 Thripadectes, xv. 102.  
 Thripias, xviii. 306.  
 Thriponax, xviii. 197.  
 Thripophaga, xv. 83.  
 Thryophilus, vi. 204.  
 Thryothorus, vi. 218.  
 Thyrorhina, xxiii. 125.  
 Tiaris, xii. 807.  
 Tichodroma, viii. 331.  
 Tiga, xviii. 411.  
 Tigrisoma, xxvi. 193.  
 Tigrornis, xxvi. 191.  
 Tijuca, xiv. 373.  
 Tilmatura, xvi. 385.  
 Timelia, vii. 507.  
 Tinamotis, xxvii. 567.  
 Tinamus, xxvii. 496.  
 Tityra, xiv. 328.  
 Tmetotrogon, xvii. 437.  
 Todirhamphus, xvii. 288.  
 Todirostrum, xiv. 69.  
 Todopsis, iv. 280.  
 Todus, xvii. 333.  
 Topaza, xvi. 332.  
 Totanus, xxiv. 409.  
 Trachelotis, xxiii. 308.  
 Trachycomus, vi. 93.  
 Trachyphonus, xix. 99.  
 Tragopan, xxii. 271.  
 Treron, xxi. 33.  
 Tribonyx, xxiii. 164.  
 Trichixus, vii. 32.

- Trichoglossus, xx. 49.  
 Tricholema, xix. 28.  
 Tricholestes, vi. 89.  
 Tricholimnas, xxiii. 51.  
 Trichophoropsis, vi. 88.  
 Trichostoma, vii. 562.  
 Trichothraupis, xi. 220.  
 Triclaria, xx. 337.  
 Tringa, xxiv. 593.  
 Tringites, xxiv. 521.  
 Tringoides, xxiv. 156.  
 Tryptorhinus, xv. 351.  
 Trochalopterum, vii. 354.  
 Trochilus, xvi. 398.  
 Trochocercus, iv. 299.  
 Troglodytes, vi. 247.  
 Trogon, xvii. 440.  
 Trupialis, xi. 356.  
 Trypanocorax, iii. 8.  
 Turacoena, xxi. 333.  
 Turacus, xix. 135.  
 Turdinulus, vii. 593.  
 Turdinus, vii. 539.  
 Turdus, v. 184.  
 Turnagra, vii. 4.  
 Turnix, xxii. 526.  
 Turtur, xxi. 396.  
 Turturœna, xvi. 328.  
 Tylas, vi. 163.  
 Tylibyx, xxiv. 153.  
 Tympanistria, xxi. 504.  
 Tympanuchus, xxii. 77.  
 Tyranniscus, xiv. 130.  
 Tyrannulus, xiv. 128.  
 Tyrannus, xiv. 267.  
 Upucerthia, xv. 16.  
 Upupa, xvi. 4.  
 Uragus, xii. 464.  
 Uria, xxvi. 572.  
 Uroæetus, i. 231.  
 Urobrachya, xiii. 224.  
 Urocharis, x. 78.  
 Urochroa, xvi. 301.  
 Urochroma, xx. 350.  
 Urocichla, vi. 263.  
 Urocissa, iii. 69.  
 Urococyx, xix. 398.  
 Urocynchramus, xii. 472.  
 Urodynamis, xix. 313.  
 Urogalba, xix. 162.  
 Urolestes, viii. 228.  
 Uroleuca, iii. 137.  
 Uroloncha, xiii. 355.  
 Uropelia, xxi. 489.  
 Uropsila, vi. 284.  
 Urospatha, xvii. 314.  
 Urospizias, i. 159.  
 Urosticte, xvi. 167.  
 Urothraupis, xi. 251.  
 Urotriorchis, i. 83.  
 Urubitinga, i. 212.  
 Vanellus, xxiv. 166.  
 Vanga, viii. 104.  
 Verreauxia, xviii. 553.  
 Vestiaria, x. 6.  
 Vidua, xiii. 203.  
 Vinago, xxi. 15.  
 Vini, xx. 43.  
 Virco, viii. 292.  
 Vireolanus, viii. 314.  
 Volatinia, xii. 152.  
 Vultur, i. 2.

- Xanthocephalus*, xi. 349.  
*Xanthocorys*, x. 619.  
*Xantholaema*, xix. 88.  
*Xanthomelus*, iii. 186.  
*Xanthomixis*, vii. 570.  
*Xanthopygia*, iv. 249.  
*Xanthura*, iii. 128.  
*Xema*, xxv. 161.  
*Xernerpestes*, xv. 73.  
*Xenicus*, xiv. 452.  
*Xenocichla*, vi. 94.  
*Xenodacnis*, xi. 17.  
*Xenopicus*, xviii. 284.  
*Xenopipo*, xiv. 287.  
*Xenopirostris*, viii. 109.  
*Xenops*, xv. 110.  
*Xenorhynchus*, xxvi. 310.  
*Xenospingus*, xii. 799.  
*Xerophila*, viii. 73.  
*Xiphidiopicus*, xviii. 376.  
*Xiphidiopterus*, xxiv. 146.  
*Xiphocolaptes*, xv. 142.  
*Xipholena*, xiv. 387.  
*Xiphorhamphus*, vii. 133.  
*Xiphorhynchus*, xv. 158.  
  
*Yuhina*, vii. 631.  
  
*Zanclostomus*, xix. 380.  
*Zapornia*, xxiii. 89.  
*Zebrilus*, xxvi. 241.  
*Zenaida*, xxi. 379.  
*Zenaidura*, xxi. 373.  
*Zeocephus*, iv. 342.  
*Zodalia*, xvi. 141.  
*Zonæginthus*, xiii. 293.  
*Zonerodius*, xxvi. 192.  
*Zonibyx*, xxiv. 238.  
*Zonifer*, xxiv. 154.  
*Zonogastris*, xiii. 296.  
*Zonotrichia*, xii. 596.  
*Zosterops*, ix. 146.



LIST OF THE  
VOLUMES OF THE 'CATALOGUE OF BIRDS'  
WITH THE DATE OF THEIR ISSUE.

---

Vol. I. Catalogue of the Accipitres, or Diurnal Birds of Prey, in the Collection of the British Museum. By R. Bowdler Sharpe. Pp. xiii, 479. Woodcuts and 14 coloured Plates. [With Systematic and Alphabetical Indexes.] 1874.

Vol. II. Catalogue of the Striges, or Nocturnal Birds of Prey, in the Collection of the British Museum. By R. Bowdler Sharpe. Pp. viii, 325. Woodcuts and 14 coloured Plates. [With Systematic and Alphabetical Indexes.] 1875.

Vol. III. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Coliomorphæ*, containing the families Corvidæ, Paradiseidæ, Oriolidæ, Diceruridæ, and Prionopidæ. By R. Bowdler Sharpe. Pp. xiii, 343. Woodcuts and 14 coloured Plates. [With Systematic and Alphabetical Indexes.] 1877.

Vol. IV. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Cichlomorphæ*: Part I., containing the families Campophagidæ and Muscicapidæ. By R. Bowdler Sharpe. Pp. xvi, 494. Woodcuts and 14 coloured Plates. [With Systematic and Alphabetical Indexes.] 1879.

Vol. V. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Cichlomorphæ*: Part II., containing the family Turdidæ (Warblers and Thrushes). By Henry Seebohm. Pp. xvi, 426. Woodcuts and 18 coloured Plates. [With Systematic and Alphabetical Indexes.] 1881.

Vol. VI. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Cichlomorphæ*: Part III., containing the first portion of the family Timeliidæ (Babbling Thrushes). By R. Bowdler Sharpe. Pp. xiii, 420. Woodcuts and 18 coloured Plates. [With Systematic and Alphabetical Indexes.] 1881.

Vol. VII. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Cichlomorphæ*: Part IV., containing the concluding portion of the family Timeliidæ

(Babbling Thrushes). By R. Bowdler Sharpe. Pp. xvi, 698. Woodcuts and 15 coloured Plates. [With Systematic and Alphabetical Indexes.] 1883.

Vol. VIII. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Cichlomorpha*: Part V., containing the families Paridae and Laniidae (Titmice and Shrikes); and *Certhiomorpha* (Creepers and Nuthatches). By Hans Gadow, M.A., Ph.D. Pp. xiii, 386. Woodcuts and 9 coloured Plates. [With Systematic and Alphabetical Indexes.] 1883.

Vol. IX. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Cinnyrimorpha*: containing the families Nectariniidae and Melophagidae (Sun-birds and Honey-eaters). By Hans Gadow, M.A., Ph.D. Pp. xii, 310. Woodcuts and 7 coloured plates. [With Systematic and Alphabetical Indexes.] 1884.

Vol. X. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Fringilliformes*: Part I., containing the families Dicaeidae, Hirundinidae, Ampelidae, Mniotiltidae, and Motacillidae. By R. Bowdler Sharpe. Pp. xii, 682. Woodcuts and 12 coloured Plates. [With Systematic and Alphabetical Indexes.] 1885.

Vol. XI. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Fringilliformes*: Part II., containing the families Cœrebidæ, Tanagridæ, and Icteridæ. By Philip Lutley Selater, M.A., F.R.S. Pp. xvii, 431. Woodcuts and 18 coloured Plates. [With Systematic and Alphabetical Indexes.] 1886.

Vol. XII. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Fringilliformes*: Part III., containing the family Fringillidae. By R. Bowdler Sharpe. Pp. xv, 871. Woodcuts and 16 coloured Plates. [With Systematic and Alphabetical Indexes.] 1888.

Vol. XIII. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Sturniformes*, containing the families Artamidae, Sturnidae, Ploceidae, and Alaudidae. Also the families Ardeidae and Menuridae. By R. Bowdler Sharpe. Pp. xvi, 701. Woodcuts and 15 coloured Plates. [With Systematic and Alphabetical Indexes.] 1890.

Vol. XIV. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Oligomyodæ*, or the families Tyrannidae, Oxyrhamphidae, Pipridæ, Cotingidae, Phytotomidae, Philepittidae, Pittidae, Xenicidae, and Eurylæmidae. By Philip Lutley Selater, M.A., F.R.S. Pp. xix, 494. Woodcuts and 26 coloured Plates. [With Systematic and Alphabetical Indexes.] 1888.

Vol. XV. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Trachophona*, or the families Dendrocolaptidae, Formicariidae, Conopophagidae, and Pteroptochidae. By Philip Lutley Selater, M.A., F.R.S. Pp. xvii, 371. Woodcuts and 20 coloured Plates. [With Systematic and Alphabetical Indexes.] 1890.

Vol. XVI. Catalogue of the Picariæ in the Collection of the British Museum. *Upupa* and *Trochili*, by Osbert Salvin. *Coraciæ*, of the families Cypselidae, Caprimulgidae, Podargidae, and Steatornithidae, by Ernst Hartert. Pp. xvi, 703. Woodcuts and 14 coloured Plates. [With Systematic and Alphabetical Indexes.] 1892.

Vol. XVII. Catalogue of the Picariæ in the Collection of the British Museum. *Coraciæ* (contin.) and *Haleyonæ*, with the families Leptosomatidae, Coraciidae, Meropidae, Alcedinidae, Momotidae, Todidae, and Coliidae, by R. Bowdler Sharpe; *Bucerotes* and *Trogonæ* by W. R. Ogilvie Grant. Pp. xi, 522. Woodcuts and 17 coloured Plates. [With Systematic and Alphabetical Indexes.] 1892.

Vol. XVIII. Catalogue of the Picariæ in the Collection of the British Museum. *Scansores*, containing the family Picidae. By Edward Hargitt. Pp. xv, 597. Woodcuts and 15 coloured Plates. [With Systematic and Alphabetical Indexes.] 1890.

Vol. XIX. Catalogue of the Picariæ in the Collection of the British Museum. *Scansores* and *Coccygæ*: containing the families Rhamphastidae, Galbulidae, and Bucconidae, by P. L. Selater; and the families Indicatoridae, Capitonidae, Cuculidae, and Musophagidae, by G. E. Shelley. Pp. xii, 484; 13 coloured Plates. [With Systematic and Alphabetical Indexes.] 1891.

Vol. XX. Catalogue of the Psittaci, or Parrots, in the Collection of the British Museum. By T. Salvadori. Pp. xvii, 658. Woodcuts and 18 coloured Plates. [With Systematic and Alphabetical Indexes.] 1891.

Vol. XXI. Catalogue of the Columbæ, or Pigeons, in the Collection of the British Museum. By T. Salvadori. Pp. xvii, 676; 15 coloured Plates. [With Systematic and Alphabetical Indexes.] 1893.

Vol. XXII. Catalogue of the Game Birds (*Pterocletus*, *Gallinæ*, *Opisthocomi*, *Hemipodii*) in the Collection of the British Museum. By W. R. Ogilvie Grant. Pp. xvi, 585; 8 coloured Plates. [With Systematic and Alphabetical Indexes.] 1893.

Vol. XXIII. Catalogue of the Fulicariæ (Rallidae and Heliornithidae) and Alectorides (Araniidae, Eurypygidae, Mesitidae, Rhynchotidae, Gruidae, Psophiidae, and Otididae) in the Collection

of the British Museum. By R. Bowdler Sharpe. Pp. xiii, 353 : 9 coloured Plates. [With Systematic and Alphabetical Indexes.] 1894.

Vol. XXIV. Catalogue of the Limicolæ in the Collection of the British Museum. By R. Bowdler Sharpe. Pp. xii, 794. Woodcuts and 7 coloured Plates. [With Systematic and Alphabetical Indexes.] 1896.

Vol. XXV. Catalogue of the Gaviæ and Tubinares in the Collection of the British Museum. Gaviæ (Terns, Gulls, and Skuas), by Howard Saunders. Tubinares (Petrels and Albatrosses) by Osbert Salvin. Pp. xv, 475. Woodcuts and 8 coloured Plates. [With Systematic and Alphabetical Indexes.] 1896.

Vol. XXVI. Catalogue of the Plataleæ, Herodiones, Steganopodes, Pygopodes, Alcæ, and Impennes in the Collection of the British Museum. Plataleæ (Ibises and Spoonbills) and Herodiones (Hérons and Storks), by R. Bowdler Sharpe. Steganopodes (Cormorants, Gannets, Frigate-birds, Tropic-birds, and Pelicans), Pygopodes (Divers and Grebes), Alcæ (Auks), and Impennes (Penguins), by W. R. Ogilvie Grant. Pp. xvii, 687. Woodcuts and 14 coloured Plates. [With Systematic and Alphabetical Indexes.] 1898.

Vol. XXVII. Catalogue of the Chenomorphæ (Palamedeæ, Phœnicopteri, Anseres), Crypturi, and Ratitæ in the Collection of the British Museum. By T. Salvadori. Pp. xv, 636 : 19 coloured Plates. [With Systematic and Alphabetical Indexes.] 1895.

[www.books2ebooks.eu](http://www.books2ebooks.eu)