

An Information System for the Analysis of Color Distributions in *MovieBarcodes*

*Manuel Burghardt*¹, *Katharina Hafner*², *Laura Edel*²,
*Sabrin-Leila Kenaan*², *Christian Wolff*¹

Media Informatics Group, University of Regensburg, Germany

¹{manuel.burghardt, christian.wolff}@ur.de

²{katharina.hafner, laura.edel, sabrin-leila.kenaan}@studi.uni-regensburg.de

Keywords: information systems; film studies; color analysis

We present an ongoing project from the field of quantitative film studies, sometimes also referred to as *Cinematics* (Tsivian, 2009). Most of the related work in this area is focused on quantitative analyses of shot lengths and distributions.¹ In this paper, we suggest *color* as an additional quantitative parameter for movie analysis and describe an information system that allows scholars to search for movies via their specific color distribution. As a source of condensed movie color information, we make use of the *MovieBarcode*² database. A *MovieBarcode* is created by skewing each frame of a movie to be only 1 pixel wide. Lining up all these frames in a row creates a barcode-like visualization of the most dominant colors in a movie (fig. 1).³ Our information system makes use of the *color diff*⁴ library to map more than 1,500

1 Cf. the extensive cinematics bibliography at <http://cinematics.lv/articles.php> (all URLs in this paper were last accessed on 15 November 2016).

2 available via <http://moviebarcode.tumblr.com>

3 For a similar visualization approach cf. Barbieri et al. (2001).

4 *Color diff* is an implementation of the CIEDE2000 color difference algorithm. Available via <https://github.com/markusn/color-diff>.

MovieBarcodes to a palette of 11 standard colors (cf. Welsch & Liebmann, 2006). In addition to these individual color profiles, we also collect metadata⁵ (genre, year, director, country, etc.) and keywords from the movies' subtitles.⁶



Fig. 1 Example of a *MovieBarcode* and its specific color distribution

The tool can be used to search for movies based on their color distributions, or to identify general trends in the use of color in specific genres or periods of time, or in combination with certain keywords. Example questions that can be answered with our information system are:

1. What is the most frequent color in horror movies as compared to comedies?
2. How did the use of color in movies develop from the 1940s to the 1980s?
3. What are the most frequent words in movies that contain a lot of blue?

We are currently testing the system with scholars from the film studies area. In its current implementation, our system can be used as a “distant watching” tool (cf. Howanitz, 2015), i.e. it is used for the generation of new research questions or to test early hypotheses by investigating a large collection of movies from a quantitative perspective. As a next step, we want to

⁵ The meta information is available via <http://www.imdb.com>.

⁶ Subtitles are available via <http://www.opensubtitles.org>.

extend the system to become a rich-prospect browser (Ruecker et al., 2011), i.e. the tool will allow scholars to zoom into specific movies and to investigate them on more detailed levels of analysis, ranging from single frames to shots and scenes.

References

- Barbieri, M., G. Mekenkamp, M. Ceccarelli and J. Nesvadba (2001): The Color Browser: A Content Driven Linear Video Browsing Tool. In: *Proceedings of the IEEE International Conference on Multimedia and Expo* (pp. 808–811).
- Howanitz, G. (2015): Distant Watching: Ein quantitativer Zugang zu YouTube-Videos. In: *Book of Abstracts, DHd 2015*.
- Ruecker, S., M. Radzikowska, and S. Sinclair (2011): *Visual Interface Design for Digital Cultural Heritage*. Farnham et al.: Ashgate Publishing.
- Tsivian, Y. (2009): Cinematics, Part of the Humanities' Cyberinfrastructure. In: M. Ross et al. (Eds.): *Digital Tools in Media Studies* (pp. 93–100). Bielefeld: Transcript.
- Welsch, N. and C. C. Liebmann (2006): *Farben. Natur, Technik, Kunst*. München: Elsevier.